


Urządzenie:

**Pułaskiego 72, OSP Skolimów, Konstancin-Jeziorna**

Pyły zawieszane o średnicy mniejszej 2.5 mikrometrów

Data	Wartość
2023-07-01	20.74
2023-07-02	10.68
2023-07-03	10.93
2023-07-04	12.29
2023-07-05	18.01
2023-07-06	11.37
2023-07-07	13.54
2023-07-08	14.27
2023-07-09	6.49
2023-07-10	9.71
2023-07-11	8.42
2023-07-12	15.44
2023-07-13	14.83
2023-07-14	13.7
2023-07-15	14.84
2023-07-16	14.78
2023-07-17	11.43
2023-07-18	8.49
2023-07-19	5.49
2023-07-20	9.66
2023-07-21	7.19
2023-07-22	8.98
2023-07-23	8.56
2023-07-24	6.8
2023-07-25	8.57
2023-07-26	14.77
2023-07-27	9.38
2023-07-28	9.33
2023-07-29	9.09
2023-07-30	6.97




Raport wygenerowano: 2023-12-05 09:38

Urządzenie:

**Pułaskiego 72, OSP Skolimów, Konstancin-Jeziorna**

Pyły zawieszane o średnicy mniejszej niż 10 mikrometrów

Data	Wartość
2023-07-01	35.55
2023-07-02	18.66
2023-07-03	19.39
2023-07-04	21.62
2023-07-05	31.08
2023-07-06	19.73
2023-07-07	23.47
2023-07-08	24.25
2023-07-09	11.52
2023-07-10	16.9
2023-07-11	14.74
2023-07-12	27.08
2023-07-13	25.91
2023-07-14	23.81
2023-07-15	25.83
2023-07-16	25.42
2023-07-17	19.77
2023-07-18	14.79
2023-07-19	9.51
2023-07-20	16.89
2023-07-21	12.5
2023-07-22	15.68
2023-07-23	15.19
2023-07-24	12.03
2023-07-25	15.04
2023-07-26	25.2
2023-07-27	16.38
2023-07-28	16.56
2023-07-29	15.96
2023-07-30	12.37




Raport wygenerowano: 2023-12-05 09:38

Urządzenie:

**Sobieskiego 13, willa Gryf, Konstancin-Jeziorna**

Pyły zawieszane o średnicy mniejszej 2.5 mikrometrów

Data	Wartość
2023-07-01	13.08
2023-07-02	9.52
2023-07-03	6.77
2023-07-04	9.16
2023-07-05	14.13
2023-07-06	4.74
2023-07-07	5.14
2023-07-08	6.78
2023-07-09	4.93
2023-07-10	3.77
2023-07-11	3.39
2023-07-12	11.71
2023-07-13	10.74
2023-07-14	6.6
2023-07-15	7.24
2023-07-16	9.67
2023-07-17	5.29
2023-07-18	2.91
2023-07-19	2.26
2023-07-20	4.09
2023-07-21	3.26
2023-07-22	5.36
2023-07-23	4.9
2023-07-24	3.92
2023-07-25	3.77
2023-07-26	4.38
2023-07-27	3.21
2023-07-28	4.49
2023-07-29	5.56
2023-07-30	3.54




Raport wygenerowano: 2023-12-05 09:38

Urządzenie:

**Sobieskiego 13, willa Gryf, Konstancin-Jeziorna**

Pyły zawieszone o średnicy mniejszej niż 10 mikrometrów

Data	Wartość
2023-07-01	22.91
2023-07-02	16.42
2023-07-03	11.98
2023-07-04	16.13
2023-07-05	24.55
2023-07-06	8.38
2023-07-07	9.26
2023-07-08	11.97
2023-07-09	8.79
2023-07-10	6.72
2023-07-11	6.05
2023-07-12	20.48
2023-07-13	18.83
2023-07-14	11.61
2023-07-15	12.84
2023-07-16	16.98
2023-07-17	9.44
2023-07-18	5.18
2023-07-19	4.02
2023-07-20	7.24
2023-07-21	5.77
2023-07-22	9.49
2023-07-23	8.78
2023-07-24	6.99
2023-07-25	6.72
2023-07-26	7.75
2023-07-27	5.68
2023-07-28	7.95
2023-07-29	9.94
2023-07-30	6.3




Raport wygenerowano: 2023-12-05 09:38

Urządzenie:

**Henryka Sienkiewicza 19, Konstancin-Jeziorna**

Pyły zawieszane o średnicy mniejszej 2.5 mikrometrów

Data	Wartość
2023-07-01	12.43
2023-07-02	10.02
2023-07-03	8.63
2023-07-04	10.45
2023-07-05	12.74
2023-07-06	6.37
2023-07-07	6.72
2023-07-08	6.94
2023-07-09	6.76
2023-07-10	5.32
2023-07-11	5.15
2023-07-12	11.19
2023-07-13	11.54
2023-07-14	8.14
2023-07-15	7.39
2023-07-16	9.25
2023-07-17	6.65
2023-07-18	4.7
2023-07-19	4
2023-07-20	5.39
2023-07-21	4.65
2023-07-22	6.74
2023-07-23	5.82
2023-07-24	5.35
2023-07-25	5.28
2023-07-26	5.95
2023-07-27	4.71
2023-07-28	5.75
2023-07-29	6.5
2023-07-30	5.1




Raport wygenerowano: 2023-12-05 09:39

Urządzenie:

**Henryka Sienkiewicza 19, Konstancin-Jeziorna**

Pyły zawieszane o średnicy mniejszej niż 10 mikrometrów

Data	Wartość
2023-07-01	17.23
2023-07-02	16.36
2023-07-03	17.17
2023-07-04	19.59
2023-07-05	21.23
2023-07-06	14.98
2023-07-07	14.11
2023-07-08	12.63
2023-07-09	12.06
2023-07-10	12.83
2023-07-11	10.86
2023-07-12	18.46
2023-07-13	17.33
2023-07-14	16.19
2023-07-15	13.51
2023-07-16	16
2023-07-17	12.59
2023-07-18	9.48
2023-07-19	10.72
2023-07-20	9.58
2023-07-21	8.57
2023-07-22	11.88
2023-07-23	11.34
2023-07-24	13.1
2023-07-25	11.28
2023-07-26	10.58
2023-07-27	9.58
2023-07-28	8.98
2023-07-29	10.55
2023-07-30	8.88




Raport wygenerowano: 2023-12-05 09:39

Urządzenie:

**A. Walentynowicz 3, Przedszkole nr 2 „Tęczowe Przedszkole”, Konstancin-Jeziorna**

Pyły zawieszone o średnicy mniejszej 2.5 mikrometrów

Data	Wartość
2023-07-01	5.08
2023-07-02	3.9
2023-07-03	2.75
2023-07-04	3.84
2023-07-05	8.13
2023-07-06	2.77
2023-07-07	3.51
2023-07-08	4.71
2023-07-09	3.34
2023-07-10	2.3
2023-07-11	1.87
2023-07-12	7.44
2023-07-13	6.22
2023-07-14	3.76
2023-07-15	4.9
2023-07-16	6.51
2023-07-17	3.09
2023-07-18	1.71
2023-07-19	1.44
2023-07-20	2.48
2023-07-21	2.14
2023-07-22	3.54
2023-07-23	2.91
2023-07-24	2.01
2023-07-25	1.92
2023-07-26	2.02
2023-07-27	1.7
2023-07-28	2.81
2023-07-29	3
2023-07-30	1.84




Raport wygenerowano: 2023-12-05 09:39

Urządzenie:

**A. Walentynowicz 3, Przedszkole nr 2 „Tęczowe Przedszkole”, Konstancin-Jeziorna**

Pyły zawieszone o średnicy mniejszej niż 10 mikrometrów

Data	Wartość
2023-07-01	9.04
2023-07-02	6.87
2023-07-03	4.85
2023-07-04	6.82
2023-07-05	14.35
2023-07-06	4.96
2023-07-07	6.22
2023-07-08	8.38
2023-07-09	5.81
2023-07-10	4.13
2023-07-11	3.34
2023-07-12	13.07
2023-07-13	11.25
2023-07-14	6.69
2023-07-15	8.66
2023-07-16	11.59
2023-07-17	5.52
2023-07-18	3.04
2023-07-19	2.59
2023-07-20	4.41
2023-07-21	3.82
2023-07-22	6.3
2023-07-23	5.18
2023-07-24	3.57
2023-07-25	3.42
2023-07-26	3.67
2023-07-27	3.02
2023-07-28	5.02
2023-07-29	5.39
2023-07-30	3.3



Raport wygenerowano: 2023-12-05 09:39




Urządzenie:

**Warszawska 32, Straż Miejska, Konstancin-Jeziorna**

Pyły zawieszane o średnicy mniejszej 2.5 mikrometrów

Data	Wartość
2023-07-01	7.39
2023-07-02	5.31
2023-07-03	3.68
2023-07-04	5.7
2023-07-05	10.05
2023-07-06	3.23
2023-07-07	4.24
2023-07-08	5.43
2023-07-09	3.54
2023-07-10	2.4
2023-07-11	2.42
2023-07-12	8.67
2023-07-13	7.65
2023-07-14	4.7
2023-07-15	5.7
2023-07-16	7.16
2023-07-17	3.3
2023-07-18	2.03
2023-07-19	1.59
2023-07-20	2.77
2023-07-21	2.45
2023-07-22	4.4
2023-07-23	3.6
2023-07-24	2.55
2023-07-25	2.39
2023-07-26	2.54
2023-07-27	2.01
2023-07-28	3.47
2023-07-29	3.44
2023-07-30	2.24




Raport wygenerowano: 2023-12-05 09:39

Urządzenie:

**Warszawska 32, Straż Miejska, Konstancin-Jeziorna**

Pyły zawieszone o średnicy mniejszej niż 10 mikrometrów

Data	Wartość
2023-07-01	13.02
2023-07-02	9.39
2023-07-03	6.67
2023-07-04	10.11
2023-07-05	17.85
2023-07-06	5.73
2023-07-07	7.41
2023-07-08	9.8
2023-07-09	6.27
2023-07-10	4.41
2023-07-11	4.21
2023-07-12	15.22
2023-07-13	13.7
2023-07-14	8.09
2023-07-15	10.11
2023-07-16	12.71
2023-07-17	5.94
2023-07-18	3.71
2023-07-19	2.85
2023-07-20	4.93
2023-07-21	4.35
2023-07-22	7.8
2023-07-23	6.29
2023-07-24	4.43
2023-07-25	4.29
2023-07-26	4.59
2023-07-27	3.54
2023-07-28	6.17
2023-07-29	6.18
2023-07-30	3.98




Raport wygenerowano: 2023-12-05 09:39

Urządzenie:

**Wspólna 3, OSP w Bielawie, Konstancin-Jeziorna**

Pyły zawieszane o średnicy mniejszej 2.5 mikrometrów

Data	Wartość
2023-07-01	9.74
2023-07-02	7.38
2023-07-03	4.65
2023-07-04	7.55
2023-07-05	11.68
2023-07-06	3.6
2023-07-07	4.9
2023-07-08	6.21
2023-07-09	3.7
2023-07-10	2.58
2023-07-11	2.86
2023-07-12	9.98
2023-07-13	8.87
2023-07-14	5.21
2023-07-15	6.62
2023-07-16	7.62
2023-07-17	3.55
2023-07-18	2.43
2023-07-19	1.82
2023-07-20	3.1
2023-07-21	2.65
2023-07-22	4.87
2023-07-23	3.96
2023-07-24	2.93
2023-07-25	2.89
2023-07-26	2.97
2023-07-27	2.25
2023-07-28	4.02
2023-07-29	4.02
2023-07-30	2.65




Raport wygenerowano: 2023-12-05 09:39

Urządzenie:

**Wspólna 3, OSP w Bielawie, Konstancin-Jeziorna**

Pyły zawieszone o średnicy mniejszej niż 10 mikrometrów

Data	Wartość
2023-07-01	17.14
2023-07-02	12.9
2023-07-03	8.31
2023-07-04	13.32
2023-07-05	20.42
2023-07-06	6.4
2023-07-07	8.74
2023-07-08	11.07
2023-07-09	6.54
2023-07-10	4.64
2023-07-11	5.08
2023-07-12	17.54
2023-07-13	15.72
2023-07-14	9.15
2023-07-15	11.71
2023-07-16	13.43
2023-07-17	6.36
2023-07-18	4.34
2023-07-19	3.27
2023-07-20	5.55
2023-07-21	4.72
2023-07-22	8.63
2023-07-23	7.04
2023-07-24	5.17
2023-07-25	5.19
2023-07-26	5.28
2023-07-27	4.07
2023-07-28	7.08
2023-07-29	7.13
2023-07-30	4.71




Raport wygenerowano: 2023-12-05 09:39

Urządzenie:

**Partyzantów 20, plac zabaw, Czarnów**

Pyły zawieszone o średnicy mniejszej 2.5 mikrometrów

Data	Wartość
2023-07-01	14.26
2023-07-02	9.47
2023-07-03	7.3
2023-07-04	9.33
2023-07-05	12.47
2023-07-06	5.64
2023-07-07	4.3
2023-07-08	7.25
2023-07-09	6.36
2023-07-10	4.42
2023-07-11	3.71
2023-07-12	11.48
2023-07-13	11.76
2023-07-14	8.66
2023-07-15	7
2023-07-16	10.08
2023-07-17	5.31
2023-07-18	3.06
2023-07-19	2.26
2023-07-20	4.18
2023-07-21	2.72
2023-07-22	5.58
2023-07-23	4.46
2023-07-24	4.03
2023-07-25	3.91
2023-07-26	3.74
2023-07-27	2.77
2023-07-28	4.9
2023-07-29	5.76
2023-07-30	3.14




Raport wygenerowano: 2023-12-05 09:39

Urządzenie:

**Partyzantów 20, plac zabaw, Czarnów**

Pyły zawieszone o średnicy mniejszej niż 10 mikrometrów

Data	Wartość
2023-07-01	24.88
2023-07-02	16.59
2023-07-03	12.84
2023-07-04	16.61
2023-07-05	21.74
2023-07-06	10.02
2023-07-07	7.59
2023-07-08	12.72
2023-07-09	11.12
2023-07-10	7.94
2023-07-11	6.55
2023-07-12	20.31
2023-07-13	20.62
2023-07-14	15.36
2023-07-15	12.33
2023-07-16	17.86
2023-07-17	9.46
2023-07-18	5.45
2023-07-19	4.02
2023-07-20	7.38
2023-07-21	4.86
2023-07-22	9.87
2023-07-23	7.95
2023-07-24	7.17
2023-07-25	6.9
2023-07-26	6.66
2023-07-27	4.93
2023-07-28	8.78
2023-07-29	10.16
2023-07-30	5.64




Raport wygenerowano: 2023-12-05 09:39

Urządzenie:

**Prosta 52, OSP Kawęczynek, Kawęczynek**

Pyły zawieszane o średnicy mniejszej 2.5 mikrometrów

Data	Wartość
2023-07-01	11.26
2023-07-02	8.73
2023-07-03	5.38
2023-07-04	7.49
2023-07-05	11.99
2023-07-06	3.63
2023-07-07	4.77
2023-07-08	6.3
2023-07-09	4.07
2023-07-10	2.83
2023-07-11	3.17
2023-07-12	9.93
2023-07-13	7.74
2023-07-14	4.59
2023-07-15	6.08
2023-07-16	7.8
2023-07-17	4.08
2023-07-18	2.34
2023-07-19	2.48
2023-07-20	3.28
2023-07-21	2.93
2023-07-22	6.32
2023-07-23	7.28
2023-07-24	3.25
2023-07-25	2.98
2023-07-26	3.14
2023-07-27	2.4
2023-07-28	3.34
2023-07-29	5.28
2023-07-30	2.36




Raport wygenerowano: 2023-12-05 09:40

Urządzenie:

**Prosta 52, OSP Kawęczynek, Kawęczynek**

Pyły zawieszone o średnicy mniejszej niż 10 mikrometrów

Data	Wartość
2023-07-01	19.75
2023-07-02	15.31
2023-07-03	9.56
2023-07-04	13.16
2023-07-05	20.91
2023-07-06	6.46
2023-07-07	8.47
2023-07-08	11.01
2023-07-09	7.2
2023-07-10	5.05
2023-07-11	5.65
2023-07-12	17.43
2023-07-13	13.71
2023-07-14	8.13
2023-07-15	10.88
2023-07-16	13.75
2023-07-17	7.32
2023-07-18	4.18
2023-07-19	4.37
2023-07-20	5.89
2023-07-21	5.23
2023-07-22	11.06
2023-07-23	12.71
2023-07-24	5.83
2023-07-25	5.26
2023-07-26	5.58
2023-07-27	4.23
2023-07-28	5.97
2023-07-29	9.34
2023-07-30	4.25



Raport wygenerowano: 2023-12-05 09:40




Urządzenie:

**Wilanowska 218, Szkoła Podstawowa nr 4, Słomczyn**

Pyły zawieszane o średnicy mniejszej 2.5 mikrometrów

Data	Wartość
2023-07-01	11.51
2023-07-02	8.41
2023-07-03	5.85
2023-07-04	7.18
2023-07-05	11.81
2023-07-06	3.59
2023-07-07	4.34
2023-07-08	5.44
2023-07-09	4.06
2023-07-10	3
2023-07-11	3.12
2023-07-12	10.27
2023-07-13	8.24
2023-07-14	4.83
2023-07-15	6.8
2023-07-16	7.94
2023-07-17	3.79
2023-07-18	2.46
2023-07-19	2.15
2023-07-20	3.2
2023-07-21	3.25
2023-07-22	4.46
2023-07-23	4.05
2023-07-24	3.05
2023-07-25	3.1
2023-07-26	3.13
2023-07-27	2.38
2023-07-28	3.82
2023-07-29	4.35
2023-07-30	2.56




Raport wygenerowano: 2023-12-05 09:40

Urządzenie:

**Wilanowska 218, Szkoła Podstawowa nr 4, Słomczyn**

Pyły zawieszane o średnicy mniejszej niż 10 mikrometrów

Data	Wartość
2023-07-01	20.32
2023-07-02	14.82
2023-07-03	10.3
2023-07-04	12.76
2023-07-05	20.7
2023-07-06	6.37
2023-07-07	7.81
2023-07-08	9.62
2023-07-09	7.18
2023-07-10	5.38
2023-07-11	5.57
2023-07-12	18.14
2023-07-13	14.6
2023-07-14	8.64
2023-07-15	11.94
2023-07-16	13.99
2023-07-17	6.79
2023-07-18	4.36
2023-07-19	3.85
2023-07-20	5.65
2023-07-21	5.75
2023-07-22	7.92
2023-07-23	7.26
2023-07-24	5.47
2023-07-25	5.54
2023-07-26	5.58
2023-07-27	4.22
2023-07-28	6.78
2023-07-29	7.79
2023-07-30	4.55




Raport wygenerowano: 2023-12-05 09:40

Urządzenie:

**Cieciszew 67a, dom ludowy, Cieciszew**

Pyły zawieszane o średnicy mniejszej 2.5 mikrometrów

Data	Wartość
2023-07-01	14.06
2023-07-02	10.09
2023-07-03	7.15
2023-07-04	9.95
2023-07-05	15.12
2023-07-06	5.31
2023-07-07	6.16
2023-07-08	9.14
2023-07-09	6.23
2023-07-10	4.05
2023-07-11	3.93
2023-07-12	13.55
2023-07-13	11.11
2023-07-14	6.55
2023-07-15	7.77
2023-07-16	11.48
2023-07-17	5.7
2023-07-18	3.06
2023-07-19	3.34
2023-07-20	4
2023-07-21	3.76
2023-07-22	6.31
2023-07-23	5.08
2023-07-24	4.46
2023-07-25	4.36
2023-07-26	3.98
2023-07-27	3.11
2023-07-28	5.25
2023-07-29	6.24
2023-07-30	3.7




Raport wygenerowano: 2023-12-05 09:40

Urządzenie:

**Cieciszew 67a, dom ludowy, Cieciszew**

Pyły zawieszone o średnicy mniejszej niż 10 mikrometrów

Data	Wartość
2023-07-01	24.64
2023-07-02	17.8
2023-07-03	12.59
2023-07-04	17.63
2023-07-05	26.34
2023-07-06	9.42
2023-07-07	10.9
2023-07-08	16.09
2023-07-09	11.05
2023-07-10	7.15
2023-07-11	7
2023-07-12	23.63
2023-07-13	19.52
2023-07-14	11.52
2023-07-15	13.65
2023-07-16	20.13
2023-07-17	10.03
2023-07-18	5.43
2023-07-19	6
2023-07-20	7.19
2023-07-21	6.66
2023-07-22	11.23
2023-07-23	9.07
2023-07-24	7.92
2023-07-25	7.73
2023-07-26	7.06
2023-07-27	5.49
2023-07-28	9.38
2023-07-29	11.08
2023-07-30	6.62




Raport wygenerowano: 2023-12-05 09:40

Urządzenie:

**Obory 22, Przedszkole nr 3 „Kolorowe Kredki”, Obory**

Pyły zawieszane o średnicy mniejszej 2.5 mikrometrów

Data	Wartość
2023-07-01	6.88
2023-07-02	5.25
2023-07-03	3.52
2023-07-04	4.97
2023-07-05	8.12
2023-07-06	1.92
2023-07-07	2.37
2023-07-08	3.45
2023-07-09	2.62
2023-07-10	1.76
2023-07-11	1.41
2023-07-12	6.14
2023-07-13	4.93
2023-07-14	2.91
2023-07-15	3.91
2023-07-16	4.92
2023-07-17	2.14
2023-07-18	1.3
2023-07-19	1
2023-07-20	1.56
2023-07-21	1.37
2023-07-22	2.82
2023-07-23	2.28
2023-07-24	1.82
2023-07-25	1.67
2023-07-26	1.77
2023-07-27	1.22
2023-07-28	1.99
2023-07-29	2.56
2023-07-30	1.31



Bardzo dobry

Dobry

Umiarkowany

Dostateczny

Zły

Bardzo zły


Raport wygenerowano: 2023-12-05 09:40

Urządzenie:

**Obory 22, Przedszkole nr 3 „Kolorowe Kredki”, Obory**

Pyły zawieszone o średnicy mniejszej niż 10 mikrometrów

Data	Wartość
2023-07-01	12.27
2023-07-02	9.23
2023-07-03	6.25
2023-07-04	8.82
2023-07-05	14.29
2023-07-06	3.42
2023-07-07	4.23
2023-07-08	6.14
2023-07-09	4.63
2023-07-10	3.17
2023-07-11	2.5
2023-07-12	10.97
2023-07-13	8.72
2023-07-14	5.11
2023-07-15	6.95
2023-07-16	8.7
2023-07-17	3.85
2023-07-18	2.33
2023-07-19	1.76
2023-07-20	2.79
2023-07-21	2.46
2023-07-22	5.05
2023-07-23	4.08
2023-07-24	3.24
2023-07-25	2.98
2023-07-26	3.15
2023-07-27	2.19
2023-07-28	3.55
2023-07-29	4.55
2023-07-30	2.35




Raport wygenerowano: 2023-12-05 09:40

Urządzenie:

**Opacz 9, Szkoła Podstawowa nr 6, Opacz**

Pyły zawieszane o średnicy mniejszej 2.5 mikrometrów

Data	Wartość
2023-07-01	11.23
2023-07-02	9.04
2023-07-03	6.06
2023-07-04	9.52
2023-07-05	13.28
2023-07-06	4.68
2023-07-07	5.49
2023-07-08	6.94
2023-07-09	4.95
2023-07-10	3.38
2023-07-11	3.42
2023-07-12	12.5
2023-07-13	10.28
2023-07-14	6.12
2023-07-15	7.64
2023-07-16	10.02
2023-07-17	5.05
2023-07-18	2.79
2023-07-19	2.76
2023-07-20	3.94
2023-07-21	3.88
2023-07-22	6.02
2023-07-23	5.06
2023-07-24	3.85
2023-07-25	3.63
2023-07-26	3.8
2023-07-27	2.99
2023-07-28	5.13
2023-07-29	5.62
2023-07-30	3.42




Raport wygenerowano: 2023-12-05 09:40

Urządzenie:

**Opacz 9, Szkoła Podstawowa nr 6, Opacz**

Pyły zawieszane o średnicy mniejszej niż 10 mikrometrów

Data	Wartość
2023-07-01	20.05
2023-07-02	15.8
2023-07-03	10.69
2023-07-04	16.71
2023-07-05	23.4
2023-07-06	8.24
2023-07-07	9.74
2023-07-08	12.39
2023-07-09	8.75
2023-07-10	5.98
2023-07-11	6.08
2023-07-12	21.79
2023-07-13	18.31
2023-07-14	10.77
2023-07-15	13.45
2023-07-16	17.43
2023-07-17	8.94
2023-07-18	4.94
2023-07-19	4.91
2023-07-20	6.98
2023-07-21	6.96
2023-07-22	10.56
2023-07-23	8.97
2023-07-24	6.87
2023-07-25	6.44
2023-07-26	6.78
2023-07-27	5.27
2023-07-28	9.07
2023-07-29	10.01
2023-07-30	6.12



Raport wygenerowano: 2023-12-05 09:40




Urządzenie:

**Kępa Okrzewska 27, budynek nowego domu ludowego, Kępa Okrzewska**

Pyły zawieszone o średnicy mniejszej 2.5 mikrometrów

Data	Wartość
2023-07-01	12.74
2023-07-02	9.84
2023-07-03	7.13
2023-07-04	10.06
2023-07-05	14.19
2023-07-06	5.2
2023-07-07	5.68
2023-07-08	8.31
2023-07-09	5.26
2023-07-10	3.71
2023-07-11	3.46
2023-07-12	12.82
2023-07-13	11.31
2023-07-14	6.3
2023-07-15	8.36
2023-07-16	10.23
2023-07-17	5.48
2023-07-18	2.95
2023-07-19	3.1
2023-07-20	4.36
2023-07-21	4.16
2023-07-22	6.31
2023-07-23	5.52
2023-07-24	4.36
2023-07-25	4.06
2023-07-26	3.56
2023-07-27	3.35
2023-07-28	5.53
2023-07-29	6.11
2023-07-30	3.97




Raport wygenerowano: 2023-12-05 09:41

Urządzenie:

**Kępa Okrzewska 27, budynek nowego domu ludowego, Kępa Okrzewska**

Pyły zawieszane o średnicy mniejszej niż 10 mikrometrów

Data	Wartość
2023-07-01	22.52
2023-07-02	17.24
2023-07-03	12.61
2023-07-04	17.9
2023-07-05	24.71
2023-07-06	9.24
2023-07-07	9.96
2023-07-08	14.65
2023-07-09	9.37
2023-07-10	6.6
2023-07-11	6.2
2023-07-12	22.65
2023-07-13	19.91
2023-07-14	11.1
2023-07-15	14.83
2023-07-16	17.93
2023-07-17	9.83
2023-07-18	5.22
2023-07-19	5.51
2023-07-20	7.8
2023-07-21	7.39
2023-07-22	11.16
2023-07-23	9.71
2023-07-24	7.77
2023-07-25	7.27
2023-07-26	6.34
2023-07-27	5.95
2023-07-28	9.82
2023-07-29	10.93
2023-07-30	7.1



Raport wygenerowano: 2023-12-05 09:41