


Urządzenie:

Pułaskiego 72, OSP Skolimów, Konstancin-Jeziorna

Pyły zawieszane o średnicy mniejszej 2.5 mikrometrów

Data	Wartość
2024-02-01	25.56
2024-02-02	13.76
2024-02-03	7.96
2024-02-04	27.03
2024-02-05	13.44
2024-02-06	5.95
2024-02-07	7.13
2024-02-08	22.19
2024-02-09	16.85
2024-02-10	40.08
2024-02-11	25.6
2024-02-12	12.88
2024-02-13	14.77
2024-02-14	21.25
2024-02-15	32.34
2024-02-16	24.48
2024-02-17	19.03
2024-02-18	7.18
2024-02-19	22.7
2024-02-20	19.23
2024-02-21	15.56
2024-02-22	16.49
2024-02-23	18.97
2024-02-24	26.96
2024-02-25	30.91
2024-02-26	29.81
2024-02-27	31.68
2024-02-28	37.41



Raport wygenerowano: 2024-03-01 09:32

Urządzenie:

Pułaskiego 72, OSP Skolimów, Konstancin-Jeziorna

Pyły zawieszane o średnicy mniejszej niż 10 mikrometrów

Data	Wartość
2024-02-01	43.45
2024-02-02	24.23
2024-02-03	14.1
2024-02-04	44.41
2024-02-05	22.41
2024-02-06	10.45
2024-02-07	12.4
2024-02-08	38.41
2024-02-09	29.25
2024-02-10	67.27
2024-02-11	44.09
2024-02-12	22.77
2024-02-13	25.46
2024-02-14	36.42
2024-02-15	55.32
2024-02-16	41.89
2024-02-17	32.86
2024-02-18	12.66
2024-02-19	39.19
2024-02-20	31.13
2024-02-21	27.27
2024-02-22	28.66
2024-02-23	32.97
2024-02-24	45.64
2024-02-25	52.04
2024-02-26	50.97
2024-02-27	54.65
2024-02-28	63.84




Raport wygenerowano: 2024-03-01 09:32

Urządzenie:

Sobieskiego 13, willa Gryf, Konstancin-Jeziorna

Pyły zawieszane o średnicy mniejszej 2.5 mikrometrów

Data	Wartość
2024-02-01	0.07
2024-02-02	0.01
2024-02-03	0.73
2024-02-04	0.4
2024-02-05	0.66
2024-02-06	0.4
2024-02-07	0.14
2024-02-08	0
2024-02-09	0
2024-02-10	0
2024-02-11	0
2024-02-12	0
2024-02-13	0.02
2024-02-14	0
2024-02-15	0
2024-02-16	0
2024-02-17	0.04
2024-02-18	0
2024-02-19	0.07
2024-02-20	0.02
2024-02-21	0
2024-02-22	0
2024-02-23	0
2024-02-24	0.01
2024-02-25	0
2024-02-26	0
2024-02-27	0
2024-02-28	0




Raport wygenerowano: 2024-03-01 09:34

Urządzenie:

Sobieskiego 13, willa Gryf, Konstancin-Jeziorna

Pyły zawieszane o średnicy mniejszej niż 10 mikrometrów

Data	Wartość
2024-02-01	0.12
2024-02-02	0.02
2024-02-03	1.3
2024-02-04	0.71
2024-02-05	1.17
2024-02-06	0.7
2024-02-07	0.25
2024-02-08	0
2024-02-09	0
2024-02-10	0
2024-02-11	0
2024-02-12	0
2024-02-13	0.04
2024-02-14	0
2024-02-15	0
2024-02-16	0
2024-02-17	0.06
2024-02-18	0
2024-02-19	0.13
2024-02-20	0.04
2024-02-21	0
2024-02-22	0
2024-02-23	0
2024-02-24	0.01
2024-02-25	0
2024-02-26	0
2024-02-27	0
2024-02-28	0




Raport wygenerowano: 2024-03-01 09:34

Urządzenie:

Henryka Sienkiewicza 19, Konstancin-Jeziorna

Pyły zawieszone o średnicy mniejszej 2.5 mikrometrów

Data	Wartość
2024-02-01	15.2
2024-02-02	11.17
2024-02-03	7.15
2024-02-04	5.75
2024-02-05	4.77
2024-02-06	7.26
2024-02-07	4.9
2024-02-08	12.84
2024-02-09	15.65
2024-02-10	28.64
2024-02-11	20.74
2024-02-12	10.9
2024-02-13	8.71
2024-02-14	12.82
2024-02-15	22.86
2024-02-16	19.95
2024-02-17	15.02
2024-02-18	5.81
2024-02-19	16.64
2024-02-20	8.76
2024-02-21	15.78
2024-02-22	15.39
2024-02-23	16.97
2024-02-24	18.73
2024-02-25	26.67
2024-02-26	20.03
2024-02-27	30.27
2024-02-28	34.25




Raport wygenerowano: 2024-03-01 09:33

Urządzenie:

Henryka Sienkiewicza 19, Konstancin-Jeziorna

Pyły zawieszone o średnicy mniejszej niż 10 mikrometrów

Data	Wartość
2024-02-01	18.47
2024-02-02	15.82
2024-02-03	9.52
2024-02-04	8.29
2024-02-05	6.94
2024-02-06	10.7
2024-02-07	7.24
2024-02-08	17.04
2024-02-09	18.47
2024-02-10	33.07
2024-02-11	25.55
2024-02-12	14.16
2024-02-13	12.24
2024-02-14	17.91
2024-02-15	28.87
2024-02-16	25.95
2024-02-17	18.46
2024-02-18	8.45
2024-02-19	19.59
2024-02-20	11.28
2024-02-21	19.92
2024-02-22	20.03
2024-02-23	21.47
2024-02-24	23.31
2024-02-25	32.77
2024-02-26	25.51
2024-02-27	40.33
2024-02-28	41.95




Raport wygenerowano: 2024-03-01 09:33

Urządzenie:

A. Walentynowicz 3, Przedszkole nr 2 „Tęczowe Przedszkole”, Konstancin-Jeziorna

Pyły zawieszone o średnicy mniejszej 2.5 mikrometrów

Data	Wartość
2024-02-01	6.84
2024-02-02	2.75
2024-02-03	2.07
2024-02-04	0.93
2024-02-05	0.99
2024-02-06	1.99
2024-02-07	1.05
2024-02-08	4.76
2024-02-09	6.22
2024-02-10	15.34
2024-02-11	9.06
2024-02-12	4.07
2024-02-13	2.61
2024-02-14	4.99
2024-02-15	11.89
2024-02-16	9.15
2024-02-17	7.07
2024-02-18	2.17
2024-02-19	6.95
2024-02-20	2.3
2024-02-21	4.77
2024-02-22	5.13
2024-02-23	6.49
2024-02-24	9.13
2024-02-25	11.02
2024-02-26	8.63
2024-02-27	13.52
2024-02-28	18.77




Raport wygenerowano: 2024-03-01 09:33

Urządzenie:

A. Walentynowicz 3, Przedszkole nr 2 „Tęczowe Przedszkole”, Konstancin-Jeziorna

Pyły zawieszone o średnicy mniejszej niż 10 mikrometrów

Data	Wartość
2024-02-01	12.13
2024-02-02	4.94
2024-02-03	3.68
2024-02-04	1.67
2024-02-05	1.75
2024-02-06	3.54
2024-02-07	1.88
2024-02-08	8.41
2024-02-09	10.92
2024-02-10	26.73
2024-02-11	15.98
2024-02-12	7.25
2024-02-13	4.65
2024-02-14	8.94
2024-02-15	20.93
2024-02-16	16.14
2024-02-17	12.55
2024-02-18	3.84
2024-02-19	12.26
2024-02-20	4.07
2024-02-21	8.5
2024-02-22	9.11
2024-02-23	11.44
2024-02-24	16.01
2024-02-25	19.29
2024-02-26	15.18
2024-02-27	23.92
2024-02-28	32.42




Raport wygenerowano: 2024-03-01 09:33

Urządzenie:

Warszawska 32, Straż Miejska, Konstancin-Jeziorna

Pyły zawieszane o średnicy mniejszej 2.5 mikrometrów

Data	Wartość
2024-02-01	6.46
2024-02-02	3.08
2024-02-03	2.4
2024-02-04	1
2024-02-05	1.37
2024-02-06	1.84
2024-02-07	1.15
2024-02-08	5.24
2024-02-09	7.05
2024-02-10	14.97
2024-02-11	9.32
2024-02-12	4.38
2024-02-13	2.19
2024-02-14	5.33
2024-02-15	10.92
2024-02-16	9.04
2024-02-17	6.51
2024-02-18	2.81
2024-02-19	7.09
2024-02-20	1.99
2024-02-21	5.45
2024-02-22	4.92
2024-02-23	7.53
2024-02-24	9.36
2024-02-25	11.21
2024-02-26	9.82
2024-02-27	13.4
2024-02-28	16.42




Raport wygenerowano: 2024-03-01 09:36

Urządzenie:

Warszawska 32, Straż Miejska, Konstancin-Jeziorna

Pyły zawieszane o średnicy mniejszej niż 10 mikrometrów

Data	Wartość
2024-02-01	11.37
2024-02-02	5.49
2024-02-03	4.35
2024-02-04	1.82
2024-02-05	2.42
2024-02-06	3.22
2024-02-07	2.1
2024-02-08	9.27
2024-02-09	12.08
2024-02-10	25.59
2024-02-11	16.19
2024-02-12	7.81
2024-02-13	3.93
2024-02-14	9.4
2024-02-15	19.02
2024-02-16	15.74
2024-02-17	11.41
2024-02-18	4.99
2024-02-19	12.51
2024-02-20	3.54
2024-02-21	9.7
2024-02-22	8.84
2024-02-23	13.04
2024-02-24	16.02
2024-02-25	19.3
2024-02-26	17.54
2024-02-27	23.09
2024-02-28	28.3




Raport wygenerowano: 2024-03-01 09:36

Urządzenie:

Wspólna 3, OSP w Bielawie, Konstancin-Jeziorna

Pyły zawieszane o średnicy mniejszej 2.5 mikrometrów

Data	Wartość
2024-02-01	12.32
2024-02-02	6.44
2024-02-03	4.64
2024-02-04	1.7
2024-02-05	2.48
2024-02-06	3.04
2024-02-07	2.28
2024-02-08	11.29
2024-02-09	14.42
2024-02-10	29.22
2024-02-11	18.71
2024-02-12	8.99
2024-02-13	4.06
2024-02-14	10.93
2024-02-15	20.71
2024-02-16	17.6
2024-02-17	13.24
2024-02-18	6.55
2024-02-19	14.4
2024-02-20	3.63
2024-02-21	11.71
2024-02-22	9.92
2024-02-23	14.87
2024-02-24	18.63
2024-02-25	21.91
2024-02-26	21.8
2024-02-27	26.6
2024-02-28	30.65




Raport wygenerowano: 2024-03-01 09:36

Urządzenie:

Wspólna 3, OSP w Bielawie, Konstancin-Jeziorna

Pyły zawieszane o średnicy mniejszej niż 10 mikrometrów

Data	Wartość
2024-02-01	21.48
2024-02-02	11.42
2024-02-03	8.19
2024-02-04	3.01
2024-02-05	4.42
2024-02-06	5.43
2024-02-07	4.08
2024-02-08	19.72
2024-02-09	24.71
2024-02-10	50.13
2024-02-11	32.54
2024-02-12	15.89
2024-02-13	7.23
2024-02-14	19.28
2024-02-15	35.86
2024-02-16	30.83
2024-02-17	22.99
2024-02-18	11.37
2024-02-19	25.04
2024-02-20	6.45
2024-02-21	20.41
2024-02-22	17.52
2024-02-23	25.73
2024-02-24	32.07
2024-02-25	37.76
2024-02-26	37.64
2024-02-27	45.36
2024-02-28	52.51




Raport wygenerowano: 2024-03-01 09:36

Urządzenie:

Partyzantów 20, plac zabaw, Czarnów

Pyły zawieszone o średnicy mniejszej 2.5 mikrometrów

Data	Wartość
2024-02-01	16.96
2024-02-02	8.66
2024-02-03	5.02
2024-02-04	3.22
2024-02-05	3.83
2024-02-06	5.22
2024-02-07	2.9
2024-02-08	8.17
2024-02-09	10.86
2024-02-10	34.03
2024-02-11	22.46
2024-02-12	13.93
2024-02-13	6.79
2024-02-14	9.87
2024-02-15	26.44
2024-02-16	20.91
2024-02-17	14.88
2024-02-18	4.59
2024-02-19	14.06
2024-02-20	6.84
2024-02-21	13.38
2024-02-22	11.71
2024-02-23	21
2024-02-24	16.56
2024-02-25	21.1
2024-02-26	17.57
2024-02-27	29.13
2024-02-28	39.22




Raport wygenerowano: 2024-03-01 09:36

Urządzenie:

Partyzantów 20, plac zabaw, Czarnów

Pyły zawieszane o średnicy mniejszej niż 10 mikrometrów

Data	Wartość
2024-02-01	29.36
2024-02-02	15.22
2024-02-03	8.85
2024-02-04	5.77
2024-02-05	6.83
2024-02-06	9.32
2024-02-07	5.17
2024-02-08	14.36
2024-02-09	19.03
2024-02-10	58.15
2024-02-11	39.01
2024-02-12	24.44
2024-02-13	11.96
2024-02-14	17.36
2024-02-15	45.25
2024-02-16	36.19
2024-02-17	26
2024-02-18	8.02
2024-02-19	24.53
2024-02-20	12.1
2024-02-21	23.42
2024-02-22	20.63
2024-02-23	35.87
2024-02-24	28.98
2024-02-25	36.48
2024-02-26	30.4
2024-02-27	50.33
2024-02-28	66.23




Raport wygenerowano: 2024-03-01 09:36

Urządzenie:

Prosta 52, OSP Kawęczynek, Kawęczynek

Pyły zawieszane o średnicy mniejszej 2.5 mikrometrów

Data	Wartość
2024-02-01	13.03
2024-02-02	4.8
2024-02-03	3.81
2024-02-04	1.72
2024-02-05	1.67
2024-02-06	3.21
2024-02-07	2.01
2024-02-08	7.75
2024-02-09	11.63
2024-02-10	26.07
2024-02-11	16.02
2024-02-12	7.42
2024-02-13	4.81
2024-02-14	7.95
2024-02-15	18.67
2024-02-16	15.18
2024-02-17	11.75
2024-02-18	2.3
2024-02-19	12.32
2024-02-20	3.74
2024-02-21	8.56
2024-02-22	9.18
2024-02-23	11.43
2024-02-24	14.55
2024-02-25	18.03
2024-02-26	15.01
2024-02-27	22.76
2024-02-28	28.75



Bardzo dobry

Dobry

Umiarkowany

Dostateczny

Zły

Bardzo zły


Raport wygenerowano: 2024-03-01 09:37

Urządzenie:

Prosta 52, OSP Kawęczynek, Kawęczynek

Pyły zawieszane o średnicy mniejszej niż 10 mikrometrów

Data	Wartość
2024-02-01	22.66
2024-02-02	8.45
2024-02-03	6.75
2024-02-04	3.09
2024-02-05	3.01
2024-02-06	5.74
2024-02-07	3.59
2024-02-08	13.53
2024-02-09	20.33
2024-02-10	45.06
2024-02-11	27.89
2024-02-12	13.05
2024-02-13	8.58
2024-02-14	13.96
2024-02-15	32.49
2024-02-16	26.32
2024-02-17	20.42
2024-02-18	4.12
2024-02-19	21.52
2024-02-20	6.61
2024-02-21	15.13
2024-02-22	16.25
2024-02-23	20.08
2024-02-24	25.25
2024-02-25	31.35
2024-02-26	26.03
2024-02-27	39.45
2024-02-28	48.98




Raport wygenerowano: 2024-03-01 09:37

Urządzenie:

Wilanowska 218, Szkoła Podstawowa nr 4, Słomczyn

Pyły zawieszane o średnicy mniejszej 2.5 mikrometrów

Data	Wartość
2024-02-01	15.8
2024-02-02	6.78
2024-02-03	4.13
2024-02-04	2.07
2024-02-05	2.16
2024-02-06	3.51
2024-02-07	2
2024-02-08	14.7
2024-02-09	16.82
2024-02-10	31.03
2024-02-11	19.51
2024-02-12	8.57
2024-02-13	5.08
2024-02-14	13.3
2024-02-15	24.48
2024-02-16	19.86
2024-02-17	13.09
2024-02-18	6.99
2024-02-19	16.73
2024-02-20	4.07
2024-02-21	11.17
2024-02-22	13.37
2024-02-23	16.25
2024-02-24	17.4
2024-02-25	22.65
2024-02-26	19
2024-02-27	29.39
2024-02-28	31.93



Bardzo dobry

Dobry

Umiarkowany

Dostateczny

Zły

Bardzo zły


Raport wygenerowano: 2024-03-01 09:37

Urządzenie:

Wilanowska 218, Szkoła Podstawowa nr 4, Słomczyn

Pyły zawieszane o średnicy mniejszej niż 10 mikrometrów

Data	Wartość
2024-02-01	27.13
2024-02-02	11.93
2024-02-03	7.34
2024-02-04	3.69
2024-02-05	3.84
2024-02-06	6.29
2024-02-07	3.59
2024-02-08	25.24
2024-02-09	29.11
2024-02-10	52.77
2024-02-11	33.81
2024-02-12	15.05
2024-02-13	9.07
2024-02-14	23.07
2024-02-15	41.74
2024-02-16	34.27
2024-02-17	22.98
2024-02-18	12.15
2024-02-19	28.9
2024-02-20	7.22
2024-02-21	19.55
2024-02-22	23.54
2024-02-23	28.15
2024-02-24	30.24
2024-02-25	39.1
2024-02-26	32.81
2024-02-27	50.52
2024-02-28	54.79



Raport wygenerowano: 2024-03-01 09:37

Urządzenie:

Cieciszew 67a, dom ludowy, Cieciszew

Pyły zawieszane o średnicy mniejszej 2.5 mikrometrów

Data	Wartość
2024-02-01	17.78
2024-02-02	7.8
2024-02-03	5.74
2024-02-04	4.15
2024-02-05	4.65
2024-02-06	6
2024-02-07	4.07
2024-02-08	15.05
2024-02-09	12.3
2024-02-10	31.33
2024-02-11	18.7
2024-02-12	11.23
2024-02-13	6.45
2024-02-14	12.41
2024-02-15	24.31
2024-02-16	21.69
2024-02-17	17.04
2024-02-18	5.25
2024-02-19	15.16
2024-02-20	8.23
2024-02-21	12.25
2024-02-22	12.36
2024-02-23	17.25
2024-02-24	21.01
2024-02-25	25.45
2024-02-26	22.08
2024-02-27	30.58
2024-02-28	37.36




Raport wygenerowano: 2024-03-01 09:37

Urządzenie:

Cieciszew 67a, dom ludowy, Cieciszew

Pyły zawieszane o średnicy mniejszej niż 10 mikrometrów

Data	Wartość
2024-02-01	30.79
2024-02-02	13.8
2024-02-03	10.13
2024-02-04	7.35
2024-02-05	8.13
2024-02-06	10.72
2024-02-07	7.25
2024-02-08	25.95
2024-02-09	21.41
2024-02-10	53.32
2024-02-11	32.96
2024-02-12	19.86
2024-02-13	11.32
2024-02-14	21.72
2024-02-15	41.78
2024-02-16	37.66
2024-02-17	29.26
2024-02-18	9.1
2024-02-19	26.26
2024-02-20	14.69
2024-02-21	21.43
2024-02-22	21.81
2024-02-23	29.61
2024-02-24	35.98
2024-02-25	43.51
2024-02-26	37.87
2024-02-27	52.6
2024-02-28	63.14




Raport wygenerowano: 2024-03-01 09:37

Urządzenie:

Obory 22, Przedszkole nr 3 „Kolorowe Kredki”, Obory

Pyły zawieszane o średnicy mniejszej 2.5 mikrometrów

Data	Wartość
2024-02-01	13.36
2024-02-02	6.21
2024-02-03	5.12
2024-02-04	2.36
2024-02-05	3.09
2024-02-06	3.01
2024-02-07	3.08
2024-02-08	9.75
2024-02-09	11.8
2024-02-10	24.26
2024-02-11	14.36
2024-02-12	6.71
2024-02-13	6.51
2024-02-14	8.95
2024-02-15	17.38
2024-02-16	14.93
2024-02-17	12.64
2024-02-18	5.04
2024-02-19	12.93
2024-02-20	5.06
2024-02-21	8.08
2024-02-22	8.48
2024-02-23	11.01
2024-02-24	15.72
2024-02-25	17.75
2024-02-26	14.82
2024-02-27	22.27
2024-02-28	29.02




Raport wygenerowano: 2024-03-01 09:37

Urządzenie:

Obory 22, Przedszkole nr 3 „Kolorowe Kredki”, Obory

Pyły zawieszane o średnicy mniejszej niż 10 mikrometrów

Data	Wartość
2024-02-01	23.45
2024-02-02	10.9
2024-02-03	9.07
2024-02-04	4.2
2024-02-05	5.47
2024-02-06	5.39
2024-02-07	5.47
2024-02-08	16.92
2024-02-09	20.41
2024-02-10	42.06
2024-02-11	25.22
2024-02-12	11.78
2024-02-13	11.53
2024-02-14	15.89
2024-02-15	30.36
2024-02-16	26.26
2024-02-17	22.09
2024-02-18	8.79
2024-02-19	22.57
2024-02-20	9.03
2024-02-21	14.33
2024-02-22	14.98
2024-02-23	19.09
2024-02-24	27.09
2024-02-25	30.64
2024-02-26	25.82
2024-02-27	38.8
2024-02-28	49.69




Raport wygenerowano: 2024-03-01 09:37

Urządzenie:

Opacz 9, Szkoła Podstawowa nr 6, Opacz

Pyły zawieszone o średnicy mniejszej 2.5 mikrometrów

Data	Wartość
2024-02-01	13.66
2024-02-02	6.48
2024-02-03	4.5
2024-02-04	2.32
2024-02-05	2.52
2024-02-06	3.83
2024-02-07	2.3
2024-02-08	12.06
2024-02-09	15.55
2024-02-10	29.32
2024-02-11	20.75
2024-02-12	8.23
2024-02-13	5.65
2024-02-14	11.23
2024-02-15	21.06
2024-02-16	19
2024-02-17	15.14
2024-02-18	6.98
2024-02-19	16.41
2024-02-20	4.39
2024-02-21	9.8
2024-02-22	11.64
2024-02-23	14.64
2024-02-24	19.32
2024-02-25	23.31
2024-02-26	19.38
2024-02-27	28.24
2024-02-28	30.57




Raport wygenerowano: 2024-03-01 09:38

Urządzenie:

Opacz 9, Szkoła Podstawowa nr 6, Opacz

Pyły zawieszane o średnicy mniejszej niż 10 mikrometrów

Data	Wartość
2024-02-01	23.78
2024-02-02	11.42
2024-02-03	7.95
2024-02-04	4.12
2024-02-05	4.5
2024-02-06	6.83
2024-02-07	4.13
2024-02-08	20.62
2024-02-09	26.95
2024-02-10	50.45
2024-02-11	35.76
2024-02-12	14.5
2024-02-13	10.03
2024-02-14	19.83
2024-02-15	36.5
2024-02-16	33.36
2024-02-17	26.28
2024-02-18	11.84
2024-02-19	28.37
2024-02-20	7.78
2024-02-21	17.27
2024-02-22	20.51
2024-02-23	25.41
2024-02-24	33.13
2024-02-25	39.77
2024-02-26	34.1
2024-02-27	48.38
2024-02-28	52.76




Raport wygenerowano: 2024-03-01 09:38

Urządzenie:

Kępa Okrzewska 27, budynek nowego domu ludowego, Kępa Okrzewska

Pyły zawieszone o średnicy mniejszej 2.5 mikrometrów

Data	Wartość
2024-02-01	15.21
2024-02-02	7.41
2024-02-03	5.53
2024-02-04	2.56
2024-02-05	2.93
2024-02-06	4.64
2024-02-07	3.44
2024-02-08	12.58
2024-02-09	16.1
2024-02-10	29.18
2024-02-11	20.28
2024-02-12	10.53
2024-02-13	6.59
2024-02-14	13.2
2024-02-15	22.68
2024-02-16	20.28
2024-02-17	16.86
2024-02-18	5.88
2024-02-19	17.23
2024-02-20	5.8
2024-02-21	13.62
2024-02-22	13.2
2024-02-23	16.4
2024-02-24	20.36
2024-02-25	23.08
2024-02-26	20.94
2024-02-27	27.5
2024-02-28	32.97




Raport wygenerowano: 2024-03-01 09:32

Urządzenie:

Kępa Okrzewska 27, budynek nowego domu ludowego, Kępa Okrzewska

Pyły zawieszane o średnicy mniejszej niż 10 mikrometrów

Data	Wartość
2024-02-01	26.37
2024-02-02	13.04
2024-02-03	9.76
2024-02-04	4.59
2024-02-05	5.18
2024-02-06	8.32
2024-02-07	6.12
2024-02-08	21.75
2024-02-09	27.74
2024-02-10	49.85
2024-02-11	35.3
2024-02-12	18.61
2024-02-13	11.62
2024-02-14	23.05
2024-02-15	39.49
2024-02-16	35.5
2024-02-17	28.77
2024-02-18	10.33
2024-02-19	29.86
2024-02-20	10.27
2024-02-21	23.69
2024-02-22	23.18
2024-02-23	28.38
2024-02-24	35.45
2024-02-25	39.58
2024-02-26	36.46
2024-02-27	47.36
2024-02-28	56.35



Raport wygenerowano: 2024-03-01 09:32