


Urządzenie:

Pułaskiego 72, OSP Skolimów, Konstancin-Jeziorna

Pyły zawieszane o średnicy mniejszej 2.5 mikrometrów

Data	Wartość
2024-01-01	45.29
2024-01-02	13.44
2024-01-03	10.16
2024-01-04	4.3
2024-01-05	6.5
2024-01-06	9.8
2024-01-07	12.75
2024-01-08	25.41
2024-01-09	50.65
2024-01-10	45.84
2024-01-11	35.88
2024-01-12	14.77
2024-01-13	12.03
2024-01-14	8.81
2024-01-15	7.15
2024-01-16	11.43
2024-01-17	26.03
2024-01-18	33.89
2024-01-19	20.81
2024-01-20	25.83
2024-01-21	33.44
2024-01-22	38.75
2024-01-23	21.34
2024-01-24	11.18
2024-01-25	9.69
2024-01-26	16.57
2024-01-27	7.05
2024-01-28	21.42
2024-01-29	20.83
2024-01-30	36.78




Raport wygenerowano: 2024-03-01 09:41

Urządzenie:

Pułaskiego 72, OSP Skolimów, Konstancin-Jeziorna

Pyły zawieszane o średnicy mniejszej niż 10 mikrometrów

Data	Wartość
2024-01-01	75.89
2024-01-02	23.4
2024-01-03	17.93
2024-01-04	7.67
2024-01-05	11.38
2024-01-06	17.41
2024-01-07	22.1
2024-01-08	43.17
2024-01-09	83.82
2024-01-10	76.9
2024-01-11	58.23
2024-01-12	24.64
2024-01-13	21.12
2024-01-14	15.07
2024-01-15	12.7
2024-01-16	19.61
2024-01-17	44.37
2024-01-18	56.1
2024-01-19	35.96
2024-01-20	44.01
2024-01-21	56.88
2024-01-22	64.14
2024-01-23	37.17
2024-01-24	19.64
2024-01-25	16.87
2024-01-26	28.64
2024-01-27	12.28
2024-01-28	37.35
2024-01-29	36.04
2024-01-30	61.86




Raport wygenerowano: 2024-03-01 09:41

Urządzenie:

Sobieskiego 13, willa Gryf, Konstancin-Jeziorna

Pyły zawieszane o średnicy mniejszej 2.5 mikrometrów

Data	Wartość
2024-01-01	31.86
2024-01-02	14.99
2024-01-03	11.35
2024-01-04	5.21
2024-01-05	3.41
2024-01-06	6.39
2024-01-07	14
2024-01-08	63.9
2024-01-09	67.09
2024-01-10	33.46
2024-01-11	101.67
2024-01-12	109.46
2024-01-14	111.48
2024-01-15	0.84
2024-01-16	0.86
2024-01-17	0
2024-01-18	60.74
2024-01-19	2.82
2024-01-20	46.63
2024-01-21	0
2024-01-22	0
2024-01-23	0
2024-01-24	26.21
2024-01-25	4.97
2024-01-26	0.67
2024-01-27	3.05
2024-01-28	0
2024-01-29	0
2024-01-30	0




Raport wygenerowano: 2024-03-01 08:53

Urządzenie:

Sobieskiego 13, willa Gryf, Konstancin-Jeziorna

Pyły zawieszane o średnicy mniejszej niż 10 mikrometrów

Data	Wartość
2024-01-01	54.69
2024-01-02	25.99
2024-01-03	20.04
2024-01-04	9.21
2024-01-05	6.09
2024-01-06	11.32
2024-01-07	23.46
2024-01-08	102.54
2024-01-09	107.66
2024-01-10	56.65
2024-01-11	144.57
2024-01-12	140.71
2024-01-14	147.82
2024-01-15	1.47
2024-01-16	1.52
2024-01-17	0
2024-01-18	93.19
2024-01-19	4.85
2024-01-20	73.45
2024-01-21	0
2024-01-22	0
2024-01-23	0
2024-01-24	39.11
2024-01-25	8.73
2024-01-26	1.08
2024-01-27	4.94
2024-01-28	0.01
2024-01-29	0
2024-01-30	0




Raport wygenerowano: 2024-03-01 08:53

Urządzenie:

Henryka Sienkiewicza 19, Konstancin-Jeziorna

Pyły zawieszone o średnicy mniejszej 2.5 mikrometrów

Data	Wartość
2024-01-01	29.89
2024-01-02	17.4
2024-01-03	13.07
2024-01-04	6.55
2024-01-05	8.65
2024-01-06	13.88
2024-01-07	15.67
2024-01-08	22.63
2024-01-09	52.18
2024-01-10	52.21
2024-01-11	29.22
2024-01-12	12.85
2024-01-13	13.87
2024-01-14	9.81
2024-01-15	10.23
2024-01-16	9.42
2024-01-17	35.05
2024-01-18	29.14
2024-01-19	24.58
2024-01-20	17.27
2024-01-21	19.82
2024-01-22	16.11
2024-01-23	13.33
2024-01-24	7.91
2024-01-25	3.79
2024-01-26	9
2024-01-27	7.35
2024-01-28	12.21
2024-01-29	13.13
2024-01-30	24.42




Raport wygenerowano: 2024-03-01 08:54

Urządzenie:

Henryka Sienkiewicza 19, Konstancin-Jeziorna

Pyły zawieszane o średnicy mniejszej niż 10 mikrometrów

Data	Wartość
2024-01-01	36.05
2024-01-02	21.56
2024-01-03	16.25
2024-01-04	9.11
2024-01-05	11.52
2024-01-06	16.33
2024-01-07	18.28
2024-01-08	26.74
2024-01-09	60.42
2024-01-10	60.32
2024-01-11	33.33
2024-01-12	15.8
2024-01-13	16.32
2024-01-14	11.98
2024-01-15	12.68
2024-01-16	12.36
2024-01-17	39.26
2024-01-18	33.31
2024-01-19	28.45
2024-01-20	20.41
2024-01-21	22.8
2024-01-22	20.8
2024-01-23	16.29
2024-01-24	10.62
2024-01-25	5.85
2024-01-26	11.83
2024-01-27	9.78
2024-01-28	15.31
2024-01-29	16.06
2024-01-30	29.42




Raport wygenerowano: 2024-03-01 08:54

Urządzenie:

A. Walentynowicz 3, Przedszkole nr 2 „Tęczowe Przedszkole”, Konstancin-Jeziorna

Pyły zawieszone o średnicy mniejszej 2.5 mikrometrów

Data	Wartość
2024-01-01	16.87
2024-01-02	7.11
2024-01-03	4.81
2024-01-04	2.19
2024-01-05	2.57
2024-01-06	4.36
2024-01-07	5.24
2024-01-08	10.62
2024-01-09	32.78
2024-01-10	32.81
2024-01-11	14.96
2024-01-12	6.12
2024-01-13	4.97
2024-01-14	3.1
2024-01-15	3.33
2024-01-16	6.12
2024-01-17	16.81
2024-01-18	18.3
2024-01-19	12.31
2024-01-20	8.09
2024-01-21	11.42
2024-01-22	6.33
2024-01-23	5.48
2024-01-24	2.12
2024-01-25	0.59
2024-01-26	3.95
2024-01-27	1.69
2024-01-28	5.59
2024-01-29	5.79
2024-01-30	12.98




Raport wygenerowano: 2024-03-01 08:54

Urządzenie:

A. Walentynowicz 3, Przedszkole nr 2 „Tęczowe Przedszkole”, Konstancin-Jeziorna

Pyły zawieszone o średnicy mniejszej niż 10 mikrometrów

Data	Wartość
2024-01-01	29.69
2024-01-02	12.6
2024-01-03	8.56
2024-01-04	3.87
2024-01-05	4.52
2024-01-06	7.73
2024-01-07	9.34
2024-01-08	18.66
2024-01-09	56.23
2024-01-10	56.25
2024-01-11	26.3
2024-01-12	10.7
2024-01-13	8.88
2024-01-14	5.49
2024-01-15	5.94
2024-01-16	10.72
2024-01-17	29.22
2024-01-18	31.7
2024-01-19	21.56
2024-01-20	14.29
2024-01-21	20.03
2024-01-22	11.16
2024-01-23	9.82
2024-01-24	3.78
2024-01-25	1.06
2024-01-26	7.03
2024-01-27	2.99
2024-01-28	9.84
2024-01-29	10.22
2024-01-30	22.8




Raport wygenerowano: 2024-03-01 08:54

Urządzenie:

Warszawska 32, Straż Miejska, Konstancin-Jeziorna

Pyły zawieszone o średnicy mniejszej 2.5 mikrometrów

Data	Wartość
2024-01-01	27.79
2024-01-02	12.61
2024-01-03	9.68
2024-01-04	3.78
2024-01-05	5.9
2024-01-06	8.45
2024-01-07	12.08
2024-01-08	28.64
2024-01-09	54.89
2024-01-10	40.5
2024-01-11	47.62
2024-01-12	18.51
2024-01-13	9.66
2024-01-14	9.24
2024-01-15	5.2
2024-01-16	10.78
2024-01-17	17.93
2024-01-18	35.31
2024-01-19	13.96
2024-01-20	23.64
2024-01-21	12.13
2024-01-22	7.44
2024-01-23	5.25
2024-01-24	11.52
2024-01-25	3.02
2024-01-26	4.68
2024-01-27	3.49
2024-01-28	6.29
2024-01-29	6.26
2024-01-30	13.99




Raport wygenerowano: 2024-03-01 08:54

Urządzenie:

Warszawska 32, Straż Miejska, Konstancin-Jeziorna

Pyły zawieszane o średnicy mniejszej niż 10 mikrometrów

Data	Wartość
2024-01-01	47.93
2024-01-02	21.81
2024-01-03	17
2024-01-04	6.68
2024-01-05	10.38
2024-01-06	14.88
2024-01-07	20.84
2024-01-08	47.31
2024-01-09	90.09
2024-01-10	67.95
2024-01-11	72.99
2024-01-12	28.06
2024-01-13	17.09
2024-01-14	15.36
2024-01-15	9.13
2024-01-16	17.52
2024-01-17	30.98
2024-01-18	58.5
2024-01-19	23.94
2024-01-20	38.69
2024-01-21	20.94
2024-01-22	12.81
2024-01-23	9.35
2024-01-24	18.06
2024-01-25	5.25
2024-01-26	8.27
2024-01-27	5.96
2024-01-28	10.77
2024-01-29	10.99
2024-01-30	24.02




Raport wygenerowano: 2024-03-01 08:54

Urządzenie:

Wspólna 3, OSP w Bielawie, Konstancin-Jeziorna

Pyły zawieszane o średnicy mniejszej 2.5 mikrometrów

Data	Wartość
2024-01-01	34.18
2024-01-02	15.01
2024-01-03	12.85
2024-01-04	3.97
2024-01-05	11.6
2024-01-06	14.73
2024-01-07	16.8
2024-01-08	23.25
2024-01-09	68.43
2024-01-10	53.4
2024-01-11	33.89
2024-01-12	13.53
2024-01-13	14.12
2024-01-14	11.7
2024-01-15	11.41
2024-01-16	24.71
2024-01-17	37.29
2024-01-18	29.92
2024-01-19	26.56
2024-01-20	16.83
2024-01-21	26.45
2024-01-22	15.42
2024-01-23	10.34
2024-01-24	5.28
2024-01-25	2.99
2024-01-26	9.93
2024-01-27	4.62
2024-01-28	12.8
2024-01-29	13.03
2024-01-30	28.81




Raport wygenerowano: 2024-03-01 08:55

Urządzenie:

Wspólna 3, OSP w Bielawie, Konstancin-Jeziorna

Pyły zawieszane o średnicy mniejszej niż 10 mikrometrów

Data	Wartość
2024-01-01	57.94
2024-01-02	26.29
2024-01-03	22.45
2024-01-04	7.12
2024-01-05	20.25
2024-01-06	25.62
2024-01-07	29.4
2024-01-08	40.51
2024-01-09	111.17
2024-01-10	88.44
2024-01-11	56.86
2024-01-12	23.57
2024-01-13	24.83
2024-01-14	20.57
2024-01-15	19.83
2024-01-16	41.21
2024-01-17	62.85
2024-01-18	51.65
2024-01-19	45.74
2024-01-20	29.15
2024-01-21	45.19
2024-01-22	26.75
2024-01-23	18.3
2024-01-24	9.4
2024-01-25	5.23
2024-01-26	17.25
2024-01-27	8.14
2024-01-28	22.33
2024-01-29	22.81
2024-01-30	49.3




Raport wygenerowano: 2024-03-01 08:55

Urządzenie:

Partyzantów 20, plac zabaw, Czarnów

Pyły zawieszane o średnicy mniejszej 2.5 mikrometrów

Data	Wartość
2024-01-01	29.23
2024-01-02	13.85
2024-01-03	13.85
2024-01-04	6.17
2024-01-05	4.14
2024-01-06	6.12
2024-01-07	7.4
2024-01-08	35.18
2024-01-09	63.33
2024-01-10	44.62
2024-01-11	22.75
2024-01-12	10.4
2024-01-13	11.65
2024-01-14	9.61
2024-01-15	8.87
2024-01-16	10.1
2024-01-17	27.58
2024-01-18	32.09
2024-01-19	23.06
2024-01-20	16.44
2024-01-21	19.9
2024-01-22	13.89
2024-01-23	16.56
2024-01-24	6.96
2024-01-25	1.49
2024-01-26	9.1
2024-01-27	3.9
2024-01-28	14.46
2024-01-29	13.72
2024-01-30	25.44




Raport wygenerowano: 2024-03-01 08:55

Urządzenie:

Partyzantów 20, plac zabaw, Czarnów

Pyły zawieszane o średnicy mniejszej niż 10 mikrometrów

Data	Wartość
2024-01-01	50.51
2024-01-02	24.31
2024-01-03	24.34
2024-01-04	10.79
2024-01-05	7.39
2024-01-06	10.9
2024-01-07	12.97
2024-01-08	59.73
2024-01-09	103.54
2024-01-10	75.53
2024-01-11	38.89
2024-01-12	18.1
2024-01-13	20.57
2024-01-14	16.78
2024-01-15	15.58
2024-01-16	17.09
2024-01-17	47.36
2024-01-18	54.67
2024-01-19	40.33
2024-01-20	28.59
2024-01-21	34.21
2024-01-22	24.27
2024-01-23	28.82
2024-01-24	12.39
2024-01-25	2.66
2024-01-26	15.91
2024-01-27	6.89
2024-01-28	25.11
2024-01-29	24.08
2024-01-30	44.25




Raport wygenerowano: 2024-03-01 08:55

Urządzenie:

Prosta 52, OSP Kawęczynek, Kawęczynek

Pyły zawieszone o średnicy mniejszej 2.5 mikrometrów

Data	Wartość
2024-01-01	30.72
2024-01-02	11.62
2024-01-03	8.03
2024-01-04	3.76
2024-01-05	5.59
2024-01-06	11.94
2024-01-07	12.63
2024-01-08	22
2024-01-09	40.11
2024-01-10	43.34
2024-01-11	24.35
2024-01-12	10.44
2024-01-13	10.59
2024-01-14	6.27
2024-01-15	7.12
2024-01-16	9.34
2024-01-17	26.87
2024-01-18	29.04
2024-01-19	21.29
2024-01-20	13.46
2024-01-21	17.86
2024-01-22	12.49
2024-01-23	9.2
2024-01-24	4.42
2024-01-25	1.47
2024-01-26	6.52
2024-01-27	3.64
2024-01-28	9.34
2024-01-29	10.81
2024-01-30	23.54




Raport wygenerowano: 2024-03-01 08:56

Urządzenie:

Prosta 52, OSP Kawęczynek, Kawęczynek

Pyły zawieszane o średnicy mniejszej niż 10 mikrometrów

Data	Wartość
2024-01-01	52.96
2024-01-02	20.44
2024-01-03	14.24
2024-01-04	6.78
2024-01-05	9.82
2024-01-06	21.08
2024-01-07	22.11
2024-01-08	38.19
2024-01-09	67.12
2024-01-10	73.63
2024-01-11	42.12
2024-01-12	18.41
2024-01-13	18.61
2024-01-14	11.15
2024-01-15	12.68
2024-01-16	16.14
2024-01-17	45.78
2024-01-18	49.61
2024-01-19	36.94
2024-01-20	23.73
2024-01-21	31.15
2024-01-22	22
2024-01-23	16.38
2024-01-24	7.93
2024-01-25	2.63
2024-01-26	11.39
2024-01-27	6.41
2024-01-28	16.53
2024-01-29	19.02
2024-01-30	40.68




Raport wygenerowano: 2024-03-01 08:56

Urządzenie:

Wilanowska 218, Szkoła Podstawowa nr 4, Słomczyn

Pyły zawieszane o średnicy mniejszej 2.5 mikrometrów

Data	Wartość
2024-01-01	32.92
2024-01-02	15.29
2024-01-03	13.79
2024-01-04	4.41
2024-01-05	7.39
2024-01-06	11.14
2024-01-07	11.39
2024-01-08	21.1
2024-01-09	41.45
2024-01-10	46.34
2024-01-11	29.57
2024-01-12	10.53
2024-01-13	14.21
2024-01-14	7.68
2024-01-15	8.31
2024-01-16	11.06
2024-01-17	34.35
2024-01-18	31.16
2024-01-19	26.33
2024-01-20	16.33
2024-01-21	23.13
2024-01-22	17.52
2024-01-23	11.05
2024-01-24	5.78
2024-01-25	1.39
2024-01-26	9.58
2024-01-27	6.75
2024-01-28	10.96
2024-01-29	16.32
2024-01-30	26.49




Raport wygenerowano: 2024-03-01 08:56

Urządzenie:

Wilanowska 218, Szkoła Podstawowa nr 4, Słomczyn

Pyły zawieszane o średnicy mniejszej niż 10 mikrometrów

Data	Wartość
2024-01-01	56.49
2024-01-02	26.85
2024-01-03	23.99
2024-01-04	7.8
2024-01-05	13.01
2024-01-06	19.63
2024-01-07	19.92
2024-01-08	36.44
2024-01-09	69.42
2024-01-10	78.25
2024-01-11	50.32
2024-01-12	18.36
2024-01-13	24.84
2024-01-14	13.63
2024-01-15	14.74
2024-01-16	18.63
2024-01-17	58.42
2024-01-18	52.77
2024-01-19	45.28
2024-01-20	28.57
2024-01-21	39.83
2024-01-22	30.59
2024-01-23	19.42
2024-01-24	10.22
2024-01-25	2.5
2024-01-26	16.88
2024-01-27	11.91
2024-01-28	19.13
2024-01-29	28.35
2024-01-30	45.91




Raport wygenerowano: 2024-03-01 08:56

Urządzenie:

Cieciszew 67a, dom ludowy, Cieciszew

Pyły zawieszane o średnicy mniejszej 2.5 mikrometrów

Data	Wartość
2024-01-01	32.62
2024-01-02	16.17
2024-01-03	11.65
2024-01-04	7.19
2024-01-05	9.9
2024-01-06	9.5
2024-01-07	9.56
2024-01-08	15.27
2024-01-09	38.22
2024-01-10	41.31
2024-01-11	27.38
2024-01-12	17.7
2024-01-13	12.99
2024-01-14	10.84
2024-01-15	9.45
2024-01-16	8.54
2024-01-17	24.41
2024-01-18	32.95
2024-01-19	28.58
2024-01-20	18.45
2024-01-21	24.42
2024-01-22	16.73
2024-01-23	14.57
2024-01-24	10.38
2024-01-25	1.83
2024-01-26	11.5
2024-01-27	4.89
2024-01-28	13.88
2024-01-29	13.36
2024-01-30	27.18




Raport wygenerowano: 2024-03-01 08:56

Urządzenie:

Cieciszew 67a, dom ludowy, Cieciszew

Pyły zawieszane o średnicy mniejszej niż 10 mikrometrów

Data	Wartość
2024-01-01	55.76
2024-01-02	28.27
2024-01-03	20.7
2024-01-04	12.74
2024-01-05	17.3
2024-01-06	16.87
2024-01-07	16.73
2024-01-08	26.65
2024-01-09	65.01
2024-01-10	70.11
2024-01-11	47.22
2024-01-12	30.86
2024-01-13	22.69
2024-01-14	19.05
2024-01-15	16.58
2024-01-16	14.97
2024-01-17	41.83
2024-01-18	56.27
2024-01-19	48.76
2024-01-20	32.23
2024-01-21	42.01
2024-01-22	29.03
2024-01-23	25.37
2024-01-24	18.22
2024-01-25	3.25
2024-01-26	20.09
2024-01-27	8.52
2024-01-28	24.27
2024-01-29	23.58
2024-01-30	46.7




Raport wygenerowano: 2024-03-01 08:56

Urządzenie:

Obory 22, Przedszkole nr 3 „Kolorowe Kredki”, Obory

Pyły zawieszone o średnicy mniejszej 2.5 mikrometrów

Data	Wartość
2024-01-01	28.07
2024-01-02	10.47
2024-01-03	8
2024-01-04	3.14
2024-01-05	4.17
2024-01-06	7.75
2024-01-07	10.67
2024-01-08	21.56
2024-01-09	43.34
2024-01-10	47.25
2024-01-11	26.45
2024-01-12	11.46
2024-01-13	10.46
2024-01-14	6.55
2024-01-15	6.08
2024-01-16	9.44
2024-01-17	26.92
2024-01-18	28.04
2024-01-19	20.88
2024-01-20	15.21
2024-01-21	19.63
2024-01-22	12.22
2024-01-23	9.25
2024-01-24	4.49
2024-01-25	1.65
2024-01-26	7.91
2024-01-27	4.54
2024-01-28	10.92
2024-01-29	11.5
2024-01-30	23.21




Raport wygenerowano: 2024-03-01 08:57

Urządzenie:

Obory 22, Przedszkole nr 3 „Kolorowe Kredki”, Obory

Pyły zawieszane o średnicy mniejszej niż 10 mikrometrów

Data	Wartość
2024-01-01	48.08
2024-01-02	18.4
2024-01-03	14.15
2024-01-04	5.57
2024-01-05	7.39
2024-01-06	13.66
2024-01-07	18.84
2024-01-08	37.55
2024-01-09	72.83
2024-01-10	79.68
2024-01-11	45.25
2024-01-12	19.89
2024-01-13	18.53
2024-01-14	11.43
2024-01-15	10.83
2024-01-16	16.47
2024-01-17	45.85
2024-01-18	48.01
2024-01-19	36.54
2024-01-20	26.68
2024-01-21	33.63
2024-01-22	21.5
2024-01-23	16.28
2024-01-24	7.96
2024-01-25	2.92
2024-01-26	13.94
2024-01-27	7.98
2024-01-28	19.12
2024-01-29	20.18
2024-01-30	39.93




Raport wygenerowano: 2024-03-01 08:57

Urządzenie:

Opacz 9, Szkoła Podstawowa nr 6, Opacz

Pyły zawieszane o średnicy mniejszej 2.5 mikrometrów

Data	Wartość
2024-01-01	33.89
2024-01-02	14.76
2024-01-03	11.8
2024-01-04	4.54
2024-01-05	6.98
2024-01-06	14.12
2024-01-07	16.58
2024-01-08	27.59
2024-01-09	53.29
2024-01-10	56.57
2024-01-11	32.39
2024-01-12	14.07
2024-01-13	12.99
2024-01-14	7.77
2024-01-15	8.52
2024-01-16	13.6
2024-01-17	34.36
2024-01-18	35.91
2024-01-19	24.95
2024-01-20	17.23
2024-01-21	24.45
2024-01-22	17.4
2024-01-23	11.07
2024-01-24	5.21
2024-01-25	2.09
2024-01-26	9.39
2024-01-27	5.43
2024-01-28	9.73
2024-01-29	16.4
2024-01-30	29.59




Raport wygenerowano: 2024-03-01 08:57

Urządzenie:

Opacz 9, Szkoła Podstawowa nr 6, Opacz

Pyły zawieszane o średnicy mniejszej niż 10 mikrometrów

Data	Wartość
2024-01-01	57.64
2024-01-02	25.86
2024-01-03	20.54
2024-01-04	8.03
2024-01-05	12.11
2024-01-06	24.76
2024-01-07	29.05
2024-01-08	47.67
2024-01-09	88.59
2024-01-10	94.91
2024-01-11	54.98
2024-01-12	24.59
2024-01-13	22.74
2024-01-14	13.82
2024-01-15	15.03
2024-01-16	22.96
2024-01-17	58.82
2024-01-18	60.44
2024-01-19	43.18
2024-01-20	30.33
2024-01-21	42.06
2024-01-22	30.07
2024-01-23	19.55
2024-01-24	9.24
2024-01-25	3.77
2024-01-26	16.3
2024-01-27	9.58
2024-01-28	17.08
2024-01-29	28.76
2024-01-30	50.97




Raport wygenerowano: 2024-03-01 08:57

Urządzenie:

Kępa Okrzewska 27, budynek nowego domu ludowego, Kępa Okrzewska

Pyły zawieszane o średnicy mniejszej 2.5 mikrometrów

Data	Wartość
2024-01-01	33.45
2024-01-02	15.53
2024-01-03	12.71
2024-01-04	5.27
2024-01-05	7.09
2024-01-06	10.41
2024-01-07	13.2
2024-01-08	20.67
2024-01-09	54.24
2024-01-10	51.54
2024-01-11	31.26
2024-01-12	12.86
2024-01-13	15.1
2024-01-14	8.3
2024-01-15	9.89
2024-01-16	15.33
2024-01-17	31.85
2024-01-18	34.33
2024-01-19	24.81
2024-01-20	18.62
2024-01-21	24.4
2024-01-22	17.76
2024-01-23	13.22
2024-01-24	5.73
2024-01-25	2.03
2024-01-26	10.2
2024-01-27	5.17
2024-01-28	13.6
2024-01-29	16.8
2024-01-30	30.02




Raport wygenerowano: 2024-03-01 08:46

Urządzenie:

Kępa Okrzewska 27, budynek nowego domu ludowego, Kępa Okrzewska

Pyły zawieszane o średnicy mniejszej niż 10 mikrometrów

Data	Wartość
2024-01-01	56.96
2024-01-02	27.05
2024-01-03	22.24
2024-01-04	9.34
2024-01-05	12.49
2024-01-06	18.34
2024-01-07	23.05
2024-01-08	35.93
2024-01-09	90.04
2024-01-10	87.8
2024-01-11	52.92
2024-01-12	22.45
2024-01-13	26.25
2024-01-14	14.68
2024-01-15	17.45
2024-01-16	25.97
2024-01-17	53.75
2024-01-18	58.54
2024-01-19	43.02
2024-01-20	32.69
2024-01-21	42.09
2024-01-22	30.99
2024-01-23	23.2
2024-01-24	10.2
2024-01-25	3.63
2024-01-26	17.94
2024-01-27	9.22
2024-01-28	23.4
2024-01-29	29.28
2024-01-30	51.21



Raport wygenerowano: 2024-03-01 08:46