


Urządzenie:

**Pułaskiego 72, OSP Skolimów, Konstancin-Jeziorna**

Pyły zawieszane o średnicy mniejszej 2.5 mikrometrów

Data	Wartość
2024-06-01	11.15
2024-06-02	10.05
2024-06-03	15.73
2024-06-04	15
2024-06-05	11.15
2024-06-06	11.52
2024-06-07	9.82
2024-06-08	10.67
2024-06-09	12.51
2024-06-10	9.05
2024-06-11	9.74
2024-06-12	4.54
2024-06-13	9.35
2024-06-14	15.48
2024-06-15	11.71
2024-06-16	10.17
2024-06-17	10.2
2024-06-18	8.97
2024-06-19	12.05
2024-06-20	9.96
2024-06-21	8.12
2024-06-22	7.22
2024-06-23	14.11
2024-06-24	7.44
2024-06-25	4.24
2024-06-26	9.23
2024-06-27	9.68
2024-06-28	10.43
2024-06-29	8.49



Raport wygenerowano: 2024-07-08 13:49

Urządzenie:

**Pułaskiego 72, OSP Skolimów, Konstancin-Jeziorna**

Pyły zawieszane o średnicy mniejszej niż 10 mikrometrów

Data	Wartość
2024-06-01	19.59
2024-06-02	17.68
2024-06-03	27.71
2024-06-04	26.24
2024-06-05	19.66
2024-06-06	20.13
2024-06-07	17.28
2024-06-08	18.78
2024-06-09	21.55
2024-06-10	15.93
2024-06-11	17.24
2024-06-12	8.1
2024-06-13	16.55
2024-06-14	26.78
2024-06-15	20.43
2024-06-16	17.9
2024-06-17	17.91
2024-06-18	15.77
2024-06-19	21.2
2024-06-20	17.46
2024-06-21	14.3
2024-06-22	12.58
2024-06-23	24.44
2024-06-24	13
2024-06-25	7.43
2024-06-26	16.19
2024-06-27	16.7
2024-06-28	18.41
2024-06-29	15.02



Raport wygenerowano: 2024-07-08 13:49

Urządzenie:

**Sobieskiego 13, willa Gryf, Konstancin-Jeziorna**

Pyły zawieszane o średnicy mniejszej 2.5 mikrometrów

Data	Wartość
2024-06-01	7.68
2024-06-02	7.01
2024-06-03	15.13
2024-06-04	13.09
2024-06-05	10.25
2024-06-06	9.34
2024-06-07	6.6
2024-06-08	10.66
2024-06-09	10.71
2024-06-10	9.2
2024-06-11	8.83
2024-06-12	2.74
2024-06-13	7.61
2024-06-14	12.72
2024-06-15	9.87
2024-06-16	9.34
2024-06-17	11.27
2024-06-18	6.2
2024-06-19	10.2
2024-06-20	5.89
2024-06-21	7.85
2024-06-22	6.25
2024-06-23	3
2024-06-24	3.33
2024-06-25	3.51
2024-06-26	8.43
2024-06-27	8.27
2024-06-28	10.93
2024-06-29	8.91



Raport wygenerowano: 2024-07-08 13:56

Urządzenie:

**Sobieskiego 13, willa Gryf, Konstancin-Jeziorna**

Pyły zawieszane o średnicy mniejszej niż 10 mikrometrów

Data	Wartość
2024-06-01	13.65
2024-06-02	12.32
2024-06-03	26.33
2024-06-04	23.03
2024-06-05	18.08
2024-06-06	16.63
2024-06-07	11.68
2024-06-08	18.74
2024-06-09	18.99
2024-06-10	16.3
2024-06-11	15.55
2024-06-12	4.89
2024-06-13	13.39
2024-06-14	22.34
2024-06-15	17.22
2024-06-16	16.42
2024-06-17	19.93
2024-06-18	10.94
2024-06-19	18.03
2024-06-20	10.42
2024-06-21	13.74
2024-06-22	11.08
2024-06-23	5.36
2024-06-24	5.97
2024-06-25	6.22
2024-06-26	15
2024-06-27	14.58
2024-06-28	19.28
2024-06-29	15.77




Raport wygenerowano: 2024-07-08 13:56

Urządzenie:

**Henryka Sienkiewicza 19, Konstancin-Jeziorna**

Pyły zawieszane o średnicy mniejszej 2.5 mikrometrów

Data	Wartość
2024-06-01	10.92
2024-06-02	9.68
2024-06-03	15.85
2024-06-04	16.05
2024-06-05	13.37
2024-06-06	11.99
2024-06-07	9.33
2024-06-08	13.65
2024-06-09	13.39
2024-06-10	11.83
2024-06-11	11.65
2024-06-12	6.76
2024-06-13	10.3
2024-06-14	13.68
2024-06-15	12.61
2024-06-16	11.33
2024-06-17	12.61
2024-06-18	8.47
2024-06-19	12.77
2024-06-20	8.12
2024-06-21	10.9
2024-06-22	10.45
2024-06-23	6.23
2024-06-24	6.6
2024-06-25	6.15
2024-06-26	11.13
2024-06-27	10.98
2024-06-28	13.79
2024-06-29	12.18




Raport wygenerowano: 2024-07-08 14:06

Urządzenie:

**Henryka Sienkiewicza 19, Konstancin-Jeziorna**

Pyły zawieszane o średnicy mniejszej niż 10 mikrometrów

Data	Wartość
2024-06-01	15.68
2024-06-02	13.74
2024-06-03	22.5
2024-06-04	23.87
2024-06-05	20.63
2024-06-06	17.64
2024-06-07	13.87
2024-06-08	19.98
2024-06-09	19.48
2024-06-10	18.52
2024-06-11	22.45
2024-06-12	13.24
2024-06-13	15.96
2024-06-14	21.87
2024-06-15	18.49
2024-06-16	16.48
2024-06-17	19.76
2024-06-18	13.7
2024-06-19	20.9
2024-06-20	14.05
2024-06-21	17.77
2024-06-22	16.75
2024-06-23	11.55
2024-06-24	11.93
2024-06-25	10.91
2024-06-26	18.04
2024-06-27	21.98
2024-06-28	25.43
2024-06-29	20.36




Raport wygenerowano: 2024-07-08 14:06

Urządzenie:

**A. Walentynowicz 3, Przedszkole nr 2 „Tęczowe Przedszkole”, Konstancin-Jeziorna**

Pyły zawieszone o średnicy mniejszej 2.5 mikrometrów

Data	Wartość
2024-06-01	1.35
2024-06-02	1.32
2024-06-03	3.51
2024-06-04	2.58
2024-06-05	2.04
2024-06-06	1.89
2024-06-07	1.21
2024-06-08	2.26
2024-06-09	2.55
2024-06-10	1.8
2024-06-11	1.79
2024-06-12	0.3
2024-06-13	1.28
2024-06-14	2.39
2024-06-15	2.22
2024-06-16	1.89
2024-06-17	2.41
2024-06-18	0.93
2024-06-19	2.5
2024-06-20	1.06
2024-06-21	1.78
2024-06-22	1.48
2024-06-23	0.53
2024-06-24	0.6
2024-06-25	0.59
2024-06-26	1.99
2024-06-27	1.94
2024-06-28	2.78
2024-06-29	2.06




Raport wygenerowano: 2024-07-08 14:06

Urządzenie:

**A. Walentynowicz 3, Przedszkole nr 2 „Tęczowe Przedszkole”, Konstancin-Jeziorna**

Pyły zawieszane o średnicy mniejszej niż 10 mikrometrów

Data	Wartość
2024-06-01	2.43
2024-06-02	2.36
2024-06-03	6.2
2024-06-04	4.59
2024-06-05	3.65
2024-06-06	3.38
2024-06-07	2.17
2024-06-08	4.01
2024-06-09	4.56
2024-06-10	3.22
2024-06-11	3.2
2024-06-12	0.53
2024-06-13	2.31
2024-06-14	4.23
2024-06-15	4.02
2024-06-16	3.34
2024-06-17	4.32
2024-06-18	1.68
2024-06-19	4.5
2024-06-20	1.87
2024-06-21	3.19
2024-06-22	2.64
2024-06-23	0.96
2024-06-24	1.08
2024-06-25	1.05
2024-06-26	3.57
2024-06-27	3.44
2024-06-28	4.98
2024-06-29	3.68



Raport wygenerowano: 2024-07-08 14:06



Urządzenie:

**Warszawska 32, Straż Miejska, Konstancin-Jeziorna**

Pyły zawieszone o średnicy mniejszej 2.5 mikrometrów

Data	Wartość
2024-06-01	4.71
2024-06-02	4.42
2024-06-03	9.48
2024-06-04	8.18
2024-06-05	6.28
2024-06-06	5.96
2024-06-07	3.82
2024-06-08	6.35
2024-06-09	6.66
2024-06-10	5.53
2024-06-11	5.41
2024-06-12	1.46
2024-06-13	4.4
2024-06-14	7.02
2024-06-15	6.07
2024-06-16	5.71
2024-06-17	6.96
2024-06-18	3.54
2024-06-19	6.41
2024-06-20	3.2
2024-06-21	4.75
2024-06-22	3.84
2024-06-23	2.02
2024-06-24	2.24
2024-06-25	2.16
2024-06-26	5.1
2024-06-27	4.86
2024-06-28	6.77
2024-06-29	5.55




Raport wygenerowano: 2024-07-08 14:07

Urządzenie:

**Warszawska 32, Straż Miejska, Konstancin-Jeziorna**

Pyły zawieszone o średnicy mniejszej niż 10 mikrometrów

Data	Wartość
2024-06-01	8.24
2024-06-02	7.8
2024-06-03	16.6
2024-06-04	14.4
2024-06-05	10.81
2024-06-06	10.43
2024-06-07	6.86
2024-06-08	11.18
2024-06-09	11.77
2024-06-10	9.86
2024-06-11	9.48
2024-06-12	2.56
2024-06-13	7.92
2024-06-14	12.7
2024-06-15	10.75
2024-06-16	10.07
2024-06-17	11.97
2024-06-18	6.26
2024-06-19	11.32
2024-06-20	5.7
2024-06-21	8.46
2024-06-22	6.73
2024-06-23	3.6
2024-06-24	4.01
2024-06-25	3.87
2024-06-26	9.01
2024-06-27	8.59
2024-06-28	12.02
2024-06-29	9.8



Raport wygenerowano: 2024-07-08 14:07

Urządzenie:

**Wspólna 3, OSP w Bielawie, Konstancin-Jeziorna**

Pyły zawieszane o średnicy mniejszej 2.5 mikrometrów

Data	Wartość
2024-06-01	5.05
2024-06-02	4.72
2024-06-03	9.78
2024-06-04	8.51
2024-06-05	6.07
2024-06-06	5.93
2024-06-07	3.79
2024-06-08	6.04
2024-06-09	6.71
2024-06-10	5.69
2024-06-11	5.27
2024-06-12	1.27
2024-06-13	4.6
2024-06-14	6.19
2024-06-15	5.98
2024-06-16	5.7
2024-06-17	6.71
2024-06-18	2.77
2024-06-19	6.47
2024-06-20	2.76
2024-06-21	4.71
2024-06-22	3.85
2024-06-23	2.54
2024-06-24	2.76
2024-06-25	2.46
2024-06-26	5
2024-06-27	4.66
2024-06-28	6.59
2024-06-29	5.6




Raport wygenerowano: 2024-07-08 14:07

Urządzenie:

**Wspólna 3, OSP w Bielawie, Konstancin-Jeziorna**

Pyły zawieszane o średnicy mniejszej niż 10 mikrometrów

Data	Wartość
2024-06-01	8.87
2024-06-02	8.44
2024-06-03	17.31
2024-06-04	15.04
2024-06-05	10.65
2024-06-06	10.6
2024-06-07	6.73
2024-06-08	10.76
2024-06-09	11.78
2024-06-10	10.14
2024-06-11	9.38
2024-06-12	2.23
2024-06-13	8.18
2024-06-14	11.04
2024-06-15	10.73
2024-06-16	10.07
2024-06-17	11.83
2024-06-18	4.94
2024-06-19	11.58
2024-06-20	4.88
2024-06-21	8.31
2024-06-22	6.79
2024-06-23	4.46
2024-06-24	4.95
2024-06-25	4.39
2024-06-26	8.84
2024-06-27	8.27
2024-06-28	11.76
2024-06-29	9.97




Raport wygenerowano: 2024-07-08 14:07

Urządzenie:

**Partyzantów 20, plac zabaw, Czarnów**

Pyły zawieszane o średnicy mniejszej 2.5 mikrometrów

Data	Wartość
2024-06-01	4.26
2024-06-02	3.39
2024-06-03	9.28
2024-06-04	6.74
2024-06-05	5.66
2024-06-06	5.11
2024-06-07	3.13
2024-06-08	5.41
2024-06-09	6.59
2024-06-10	4.34
2024-06-11	4.27
2024-06-12	0.98
2024-06-13	4.07
2024-06-14	5.59
2024-06-15	4.63
2024-06-16	5.45
2024-06-17	6.47
2024-06-18	3.7
2024-06-19	6.76
2024-06-20	2.58
2024-06-21	3.86
2024-06-22	4.23
2024-06-23	1.42
2024-06-24	1.69
2024-06-25	1.88
2024-06-26	4.46
2024-06-27	5.66
2024-06-28	7.84
2024-06-29	5.84




Raport wygenerowano: 2024-07-08 14:07

Urządzenie:

**Partyzantów 20, plac zabaw, Czarnów**

Pyły zawieszane o średnicy mniejszej niż 10 mikrometrów

Data	Wartość
2024-06-01	7.57
2024-06-02	5.98
2024-06-03	16.37
2024-06-04	11.92
2024-06-05	10.06
2024-06-06	9.09
2024-06-07	5.63
2024-06-08	9.67
2024-06-09	11.76
2024-06-10	7.73
2024-06-11	7.62
2024-06-12	1.75
2024-06-13	7.32
2024-06-14	9.85
2024-06-15	8.21
2024-06-16	9.65
2024-06-17	11.49
2024-06-18	6.56
2024-06-19	12.02
2024-06-20	4.61
2024-06-21	6.9
2024-06-22	7.53
2024-06-23	2.52
2024-06-24	3.02
2024-06-25	3.34
2024-06-26	7.96
2024-06-27	9.99
2024-06-28	13.86
2024-06-29	10.4




Raport wygenerowano: 2024-07-08 14:07

Urządzenie:

**Prosta 52, OSP Kawęczynek, Kawęczynek**

Pyły zawieszane o średnicy mniejszej 2.5 mikrometrów

Data	Wartość
2024-06-01	4.19
2024-06-02	3.71
2024-06-03	8.86
2024-06-04	7.48
2024-06-05	6.16
2024-06-06	5.39
2024-06-07	3.23
2024-06-08	5.52
2024-06-09	6.23
2024-06-10	4.81
2024-06-11	4.25
2024-06-12	1.19
2024-06-13	4.07
2024-06-14	5.48
2024-06-15	5.94
2024-06-16	5.65
2024-06-17	5.82
2024-06-18	3.2
2024-06-19	5.59
2024-06-20	2.64
2024-06-21	4.79
2024-06-22	3.41
2024-06-23	1.43
2024-06-24	1.64
2024-06-25	1.77
2024-06-26	4.25
2024-06-27	4.54
2024-06-28	6.07
2024-06-29	5




Raport wygenerowano: 2024-07-08 14:07

Urządzenie:

**Prosta 52, OSP Kawęczynek, Kawęczynek**

Pyły zawieszone o średnicy mniejszej niż 10 mikrometrów

Data	Wartość
2024-06-01	7.48
2024-06-02	6.57
2024-06-03	15.66
2024-06-04	13.21
2024-06-05	10.96
2024-06-06	9.52
2024-06-07	5.75
2024-06-08	9.83
2024-06-09	11.04
2024-06-10	8.5
2024-06-11	7.57
2024-06-12	2.12
2024-06-13	7.23
2024-06-14	9.75
2024-06-15	10.54
2024-06-16	10.12
2024-06-17	10.27
2024-06-18	5.67
2024-06-19	9.89
2024-06-20	4.72
2024-06-21	8.58
2024-06-22	6.02
2024-06-23	2.54
2024-06-24	2.93
2024-06-25	3.16
2024-06-26	7.58
2024-06-27	8.09
2024-06-28	10.73
2024-06-29	8.87



Raport wygenerowano: 2024-07-08 14:07



Urządzenie:

**Wilanowska 218, Szkoła Podstawowa nr 4, Słomczyn**

Pyły zawieszane o średnicy mniejszej 2.5 mikrometrów

Data	Wartość
2024-06-01	5.75
2024-06-02	4.56
2024-06-03	9.41
2024-06-04	8.73
2024-06-05	6.24
2024-06-06	5.91
2024-06-07	4.32
2024-06-08	6.81
2024-06-09	6.74
2024-06-10	6.51
2024-06-11	5.76
2024-06-12	1.33
2024-06-13	4.73
2024-06-14	8.28
2024-06-15	7.41
2024-06-16	5.85
2024-06-17	7.11
2024-06-18	3.42
2024-06-19	6.21
2024-06-20	4.1
2024-06-21	5.23
2024-06-22	3.56
2024-06-23	2.56
2024-06-24	2.34
2024-06-25	2.45
2024-06-26	5
2024-06-27	5.37
2024-06-28	6.84
2024-06-29	5.67




Raport wygenerowano: 2024-07-08 14:08

Urządzenie:

**Wilanowska 218, Szkoła Podstawowa nr 4, Słomczyn**

Pyły zawieszane o średnicy mniejszej niż 10 mikrometrów

Data	Wartość
2024-06-01	10.2
2024-06-02	8.02
2024-06-03	16.63
2024-06-04	15.49
2024-06-05	11.1
2024-06-06	10.37
2024-06-07	7.6
2024-06-08	11.98
2024-06-09	11.95
2024-06-10	11.52
2024-06-11	10.31
2024-06-12	2.37
2024-06-13	8.4
2024-06-14	14.59
2024-06-15	13.07
2024-06-16	10.3
2024-06-17	12.62
2024-06-18	6.1
2024-06-19	11.04
2024-06-20	7.21
2024-06-21	9.29
2024-06-22	6.37
2024-06-23	4.51
2024-06-24	4.19
2024-06-25	4.37
2024-06-26	8.82
2024-06-27	9.46
2024-06-28	12.11
2024-06-29	10.08




Raport wygenerowano: 2024-07-08 14:08

Urządzenie:

**Cieciszew 67a, dom ludowy, Cieciszew**

Pyły zawieszone o średnicy mniejszej 2.5 mikrometrów

Data	Wartość
2024-06-01	7.49
2024-06-02	6.75
2024-06-03	13.2
2024-06-04	11.97
2024-06-05	8.72
2024-06-06	8.11
2024-06-07	6.13
2024-06-08	8.97
2024-06-09	10.01
2024-06-10	7.97
2024-06-11	8.11
2024-06-12	2.32
2024-06-13	6.36
2024-06-14	9.87
2024-06-15	8.41
2024-06-16	8.22
2024-06-17	10.24
2024-06-18	5.4
2024-06-19	9.12
2024-06-20	3.86
2024-06-21	6.71
2024-06-22	5.74
2024-06-23	2.68
2024-06-24	3.06
2024-06-25	3.31
2024-06-26	7.37
2024-06-27	7.32
2024-06-28	9.35
2024-06-29	7.77




Raport wygenerowano: 2024-07-08 14:08

Urządzenie:

**Cieciszew 67a, dom ludowy, Cieciszew**

Pyły zawieszone o średnicy mniejszej niż 10 mikrometrów

Data	Wartość
2024-06-01	13.22
2024-06-02	11.92
2024-06-03	23.3
2024-06-04	21.27
2024-06-05	15.49
2024-06-06	14.33
2024-06-07	10.9
2024-06-08	15.92
2024-06-09	17.69
2024-06-10	14.14
2024-06-11	14.27
2024-06-12	4.09
2024-06-13	11.28
2024-06-14	17.23
2024-06-15	14.87
2024-06-16	14.45
2024-06-17	17.83
2024-06-18	9.56
2024-06-19	16.05
2024-06-20	6.85
2024-06-21	11.91
2024-06-22	10.25
2024-06-23	4.73
2024-06-24	5.49
2024-06-25	5.91
2024-06-26	13.17
2024-06-27	12.98
2024-06-28	16.49
2024-06-29	13.81




Raport wygenerowano: 2024-07-08 14:08

Urządzenie:

**Obory 22, Przedszkole nr 3 „Kolorowe Kredki”, Obory**

Pyły zawieszane o średnicy mniejszej 2.5 mikrometrów

Data	Wartość
2024-06-01	6.07
2024-06-02	5.93
2024-06-03	11.41
2024-06-04	9.98
2024-06-05	7.45
2024-06-06	7.45
2024-06-07	5.16
2024-06-08	7.45
2024-06-09	8.02
2024-06-10	6.3
2024-06-11	6.71
2024-06-12	2.14
2024-06-13	5.65
2024-06-14	9.15
2024-06-15	7.54
2024-06-16	6.69
2024-06-17	8.28
2024-06-18	4.63
2024-06-19	7.86
2024-06-20	4.5
2024-06-21	6.08
2024-06-22	4.79
2024-06-23	4.21
2024-06-24	3.16
2024-06-25	2.62
2024-06-26	6.2
2024-06-27	6.06
2024-06-28	7.91
2024-06-29	6.45




Raport wygenerowano: 2024-07-08 14:08

Urządzenie:

**Obory 22, Przedszkole nr 3 „Kolorowe Kredki”, Obory**

Pyły zawieszane o średnicy mniejszej niż 10 mikrometrów

Data	Wartość
2024-06-01	10.63
2024-06-02	10.41
2024-06-03	19.99
2024-06-04	17.53
2024-06-05	13.03
2024-06-06	13.19
2024-06-07	9.2
2024-06-08	13.24
2024-06-09	14.2
2024-06-10	11.28
2024-06-11	11.79
2024-06-12	3.76
2024-06-13	10.07
2024-06-14	16.01
2024-06-15	13.32
2024-06-16	11.75
2024-06-17	14.22
2024-06-18	8.23
2024-06-19	13.9
2024-06-20	7.96
2024-06-21	10.63
2024-06-22	8.47
2024-06-23	7.4
2024-06-24	5.7
2024-06-25	4.66
2024-06-26	10.92
2024-06-27	10.68
2024-06-28	14.06
2024-06-29	11.37




Raport wygenerowano: 2024-07-08 14:08

Urządzenie:

**Opacz 9, Szkoła Podstawowa nr 6, Opacz**

Pyły zawieszone o średnicy mniejszej 2.5 mikrometrów

Data	Wartość
2024-06-01	5.42
2024-06-02	5.4
2024-06-03	11.57
2024-06-04	10.06
2024-06-05	7.08
2024-06-06	6.79
2024-06-07	4.67
2024-06-08	7.17
2024-06-09	7.81
2024-06-10	6.27
2024-06-11	6.4
2024-06-12	1.73
2024-06-13	5.19
2024-06-14	7.32
2024-06-15	6.6
2024-06-16	6.06
2024-06-17	7.91
2024-06-18	3.86
2024-06-19	7.26
2024-06-20	3.46
2024-06-21	5.82
2024-06-22	4.38
2024-06-23	1.9
2024-06-24	2.34
2024-06-25	2.3
2024-06-26	5.71
2024-06-27	5.7
2024-06-28	7.59
2024-06-29	5.88




Raport wygenerowano: 2024-07-08 14:08

Urządzenie:

**Opacz 9, Szkoła Podstawowa nr 6, Opacz**

Pyły zawieszane o średnicy mniejszej niż 10 mikrometrów

Data	Wartość
2024-06-01	9.55
2024-06-02	9.5
2024-06-03	20.28
2024-06-04	17.82
2024-06-05	12.54
2024-06-06	11.96
2024-06-07	8.34
2024-06-08	12.72
2024-06-09	13.74
2024-06-10	11.17
2024-06-11	11.31
2024-06-12	3.1
2024-06-13	9.19
2024-06-14	13.05
2024-06-15	11.51
2024-06-16	10.74
2024-06-17	13.82
2024-06-18	6.9
2024-06-19	12.95
2024-06-20	6.18
2024-06-21	10.21
2024-06-22	7.83
2024-06-23	3.4
2024-06-24	4.19
2024-06-25	4.11
2024-06-26	10.07
2024-06-27	10.05
2024-06-28	13.4
2024-06-29	10.41



Raport wygenerowano: 2024-07-08 14:08




Urządzenie:

**Kępa Okrzewska 27, budynek nowego domu ludowego, Kępa Okrzewska**

Pyły zawieszane o średnicy mniejszej 2.5 mikrometrów

Data	Wartość
2024-06-01	5.71
2024-06-02	6.22
2024-06-03	12.64
2024-06-04	10
2024-06-05	8.02
2024-06-06	7.31
2024-06-07	5.14
2024-06-08	8
2024-06-09	8.41
2024-06-10	6.53
2024-06-11	8.1
2024-06-12	2.15
2024-06-13	6.21
2024-06-14	9.49
2024-06-15	7.92
2024-06-16	6.67
2024-06-17	9.92
2024-06-18	4.46
2024-06-19	8.91
2024-06-20	4.34
2024-06-21	7.56
2024-06-22	5.55
2024-06-23	2.9
2024-06-24	3
2024-06-25	2.86
2024-06-26	7.04
2024-06-27	6.78
2024-06-28	9.47
2024-06-29	7.71




Raport wygenerowano: 2024-07-08 14:09

Urządzenie:

**Kępa Okrzewska 27, budynek nowego domu ludowego, Kępa Okrzewska**

Pyły zawieszane o średnicy mniejszej niż 10 mikrometrów

Data	Wartość
2024-06-01	10.17
2024-06-02	10.99
2024-06-03	22.25
2024-06-04	17.72
2024-06-05	13.97
2024-06-06	12.71
2024-06-07	9.16
2024-06-08	14.33
2024-06-09	14.82
2024-06-10	11.52
2024-06-11	14.22
2024-06-12	3.82
2024-06-13	11.05
2024-06-14	16.58
2024-06-15	13.98
2024-06-16	11.79
2024-06-17	17.43
2024-06-18	7.89
2024-06-19	15.64
2024-06-20	7.68
2024-06-21	13.32
2024-06-22	9.88
2024-06-23	5.12
2024-06-24	5.33
2024-06-25	5.11
2024-06-26	12.53
2024-06-27	12.01
2024-06-28	16.73
2024-06-29	13.69



Raport wygenerowano: 2024-07-08 14:09