


Urządzenie:

Pułaskiego 72, OSP Skolimów, Konstancin-Jeziorna

Pyły zawieszone o średnicy mniejszej 2.5 mikrometrów

Data	Wartość
2024-07-01	6.54
2024-07-02	12.31
2024-07-03	6.42
2024-07-04	8.75
2024-07-05	10.41
2024-07-06	7.23
2024-07-07	7.85
2024-07-08	5.41
2024-07-09	5.6
2024-07-10	7.27
2024-07-11	13
2024-07-12	9.33
2024-07-13	8.09
2024-07-14	5.72
2024-07-15	12.13
2024-07-16	9.72
2024-07-17	8.77
2024-07-18	8.51
2024-07-19	12.35
2024-07-20	10.43
2024-07-21	11.23
2024-07-22	14.8
2024-07-23	7.98
2024-07-24	10.97
2024-07-25	8.73
2024-07-26	8.81
2024-07-27	12.04
2024-07-28	13.47
2024-07-29	8.6
2024-07-30	10.02




Raport wygenerowano: 2024-08-19 16:15

Urządzenie:

Pułaskiego 72, OSP Skolimów, Konstancin-Jeziorna

Pyły zawieszane o średnicy mniejszej niż 10 mikrometrów

Data	Wartość
2024-07-01	11.65
2024-07-02	21.21
2024-07-03	11.35
2024-07-04	15.29
2024-07-05	18.12
2024-07-06	12.54
2024-07-07	13.72
2024-07-08	9.54
2024-07-09	9.93
2024-07-10	12.74
2024-07-11	22.89
2024-07-12	16.48
2024-07-13	14.12
2024-07-14	10.05
2024-07-15	21.38
2024-07-16	17.29
2024-07-17	15.48
2024-07-18	14.93
2024-07-19	21.14
2024-07-20	18.28
2024-07-21	19.59
2024-07-22	25.83
2024-07-23	14.04
2024-07-24	19.12
2024-07-25	15.44
2024-07-26	15.45
2024-07-27	21.22
2024-07-28	23.34
2024-07-29	15.02
2024-07-30	17.44




Raport wygenerowano: 2024-08-19 16:15

Urządzenie:

Sobieskiego 13, willa Gryf, Konstancin-Jeziorna

Pyły zawieszane o średnicy mniejszej 2.5 mikrometrów

Data	Wartość
2024-07-01	5.86
2024-07-02	6.32
2024-07-03	4
2024-07-04	6.03
2024-07-05	3.71
2024-07-06	3.28
2024-07-07	5.93
2024-07-08	4.59
2024-07-09	5.63
2024-07-10	7.34
2024-07-11	13.88
2024-07-12	9.94
2024-07-13	6.12
2024-07-14	4.45
2024-07-15	7.65
2024-07-16	10.74
2024-07-17	7.35
2024-07-18	2.78
2024-07-19	4.39
2024-07-20	5.46
2024-07-21	7
2024-07-22	11.95
2024-07-23	4.6
2024-07-24	5.88
2024-07-25	8.7
2024-07-26	5.5
2024-07-27	9
2024-07-28	11.92
2024-07-29	1.86
2024-07-30	2.52




Raport wygenerowano: 2024-08-19 16:24

Urządzenie:

Sobieskiego 13, willa Gryf, Konstancin-Jeziorna

Pyły zawieszane o średnicy mniejszej niż 10 mikrometrów

Data	Wartość
2024-07-01	10.36
2024-07-02	11.25
2024-07-03	7.1
2024-07-04	10.66
2024-07-05	6.52
2024-07-06	5.76
2024-07-07	10.59
2024-07-08	8.13
2024-07-09	10.02
2024-07-10	13.04
2024-07-11	24.22
2024-07-12	17.6
2024-07-13	10.87
2024-07-14	7.89
2024-07-15	13.39
2024-07-16	18.94
2024-07-17	12.95
2024-07-18	4.98
2024-07-19	7.74
2024-07-20	9.68
2024-07-21	12.4
2024-07-22	20.93
2024-07-23	8.18
2024-07-24	10.41
2024-07-25	15.45
2024-07-26	9.74
2024-07-27	15.94
2024-07-28	20.67
2024-07-29	3.33
2024-07-30	4.48




Raport wygenerowano: 2024-08-19 16:24

Urządzenie:

Henryka Sienkiewicza 19, Konstancin-Jeziorna

Pyły zawieszane o średnicy mniejszej 2.5 mikrometrów

Data	Wartość
2024-07-01	9.34
2024-07-02	9.71
2024-07-03	7.47
2024-07-04	9.8
2024-07-05	7.44
2024-07-06	6.78
2024-07-07	8.06
2024-07-08	7.75
2024-07-09	8.32
2024-07-10	8.86
2024-07-11	14.23
2024-07-12	11.3
2024-07-13	8.28
2024-07-14	7.76
2024-07-15	9.25
2024-07-16	11.68
2024-07-17	9.51
2024-07-18	5.75
2024-07-19	7.41
2024-07-20	8.15
2024-07-21	9.73
2024-07-22	12.89
2024-07-23	7.36
2024-07-24	9.28
2024-07-25	12.88
2024-07-26	9.13
2024-07-27	11.43
2024-07-28	13.36
2024-07-29	5.55
2024-07-30	5.45




Raport wygenerowano: 2024-08-19 16:28

Urządzenie:

Henryka Sienkiewicza 19, Konstancin-Jeziorna

Pyły zawieszane o średnicy mniejszej niż 10 mikrometrów

Data	Wartość
2024-07-01	15.35
2024-07-02	15.18
2024-07-03	11.99
2024-07-04	14.52
2024-07-05	13.12
2024-07-06	14.08
2024-07-07	14.1
2024-07-08	13.62
2024-07-09	14.93
2024-07-10	20.79
2024-07-11	26.43
2024-07-12	18.71
2024-07-13	13.68
2024-07-14	11.2
2024-07-15	13.96
2024-07-16	19.26
2024-07-17	16.67
2024-07-18	11.93
2024-07-19	14.14
2024-07-20	14.71
2024-07-21	17.01
2024-07-22	25.68
2024-07-23	13.35
2024-07-24	18.47
2024-07-25	19.13
2024-07-26	15.3
2024-07-27	19.02
2024-07-28	19.02
2024-07-29	12.03
2024-07-30	11.02




Raport wygenerowano: 2024-08-19 16:28

Urządzenie:

A. Walentynowicz 3, Przedszkole nr 2 „Tęczowe Przedszkole”, Konstancin-Jeziorna

Pyły zawieszane o średnicy mniejszej 2.5 mikrometrów

Data	Wartość
2024-07-01	1.04
2024-07-02	1.12
2024-07-03	0.63
2024-07-04	1.07
2024-07-05	0.65
2024-07-06	0.52
2024-07-07	1.09
2024-07-08	0.61
2024-07-09	1.15
2024-07-10	1.79
2024-07-11	3.71
2024-07-12	2
2024-07-13	1.11
2024-07-14	0.57
2024-07-15	1.51
2024-07-16	2.51
2024-07-17	1.48
2024-07-18	0.29
2024-07-19	0.61
2024-07-20	0.88
2024-07-21	1.2
2024-07-22	2.9
2024-07-23	0.82
2024-07-24	1.1
2024-07-25	1.67
2024-07-26	0.82
2024-07-27	1.99
2024-07-28	2.75
2024-07-29	0.19
2024-07-30	0.2




Raport wygenerowano: 2024-08-19 16:28

Urządzenie:

A. Walentynowicz 3, Przedszkole nr 2 „Tęczowe Przedszkole”, Konstancin-Jeziorna

Pyły zawieszone o średnicy mniejszej niż 10 mikrometrów

Data	Wartość
2024-07-01	1.83
2024-07-02	2.03
2024-07-03	1.14
2024-07-04	1.92
2024-07-05	1.18
2024-07-06	0.94
2024-07-07	1.94
2024-07-08	1.08
2024-07-09	2.06
2024-07-10	3.2
2024-07-11	6.67
2024-07-12	3.59
2024-07-13	2
2024-07-14	1.03
2024-07-15	2.68
2024-07-16	4.48
2024-07-17	2.63
2024-07-18	0.52
2024-07-19	1.11
2024-07-20	1.57
2024-07-21	2.15
2024-07-22	5.16
2024-07-23	1.45
2024-07-24	1.97
2024-07-25	2.97
2024-07-26	1.45
2024-07-27	3.57
2024-07-28	4.9
2024-07-29	0.34
2024-07-30	0.36




Raport wygenerowano: 2024-08-19 16:28

Urządzenie:

Warszawska 32, Straż Miejska, Konstancin-Jeziorna

Pyły zawieszone o średnicy mniejszej 2.5 mikrometrów

Data	Wartość
2024-07-01	3.43
2024-07-02	3.54
2024-07-03	2.18
2024-07-04	3.55
2024-07-05	2.17
2024-07-06	2.01
2024-07-07	3.53
2024-07-08	2.59
2024-07-09	3.51
2024-07-10	4.41
2024-07-11	8.36
2024-07-12	5.95
2024-07-13	3.61
2024-07-14	3.08
2024-07-15	4.58
2024-07-16	6.65
2024-07-17	4.24
2024-07-18	1.43
2024-07-19	2.48
2024-07-20	3.14
2024-07-21	4.25
2024-07-22	7.43
2024-07-23	2.86
2024-07-24	3.71
2024-07-25	5.21
2024-07-26	3.2
2024-07-27	5.77
2024-07-28	7.28
2024-07-29	1.4
2024-07-30	1.25




Raport wygenerowano: 2024-08-19 16:28

Urządzenie:

Warszawska 32, Straż Miejska, Konstancin-Jeziorna

Pyły zawieszone o średnicy mniejszej niż 10 mikrometrów

Data	Wartość
2024-07-01	6.07
2024-07-02	6.32
2024-07-03	3.85
2024-07-04	6.23
2024-07-05	3.81
2024-07-06	3.5
2024-07-07	6.22
2024-07-08	4.53
2024-07-09	6.21
2024-07-10	7.89
2024-07-11	14.86
2024-07-12	10.61
2024-07-13	6.39
2024-07-14	5.43
2024-07-15	8.16
2024-07-16	12.01
2024-07-17	7.47
2024-07-18	2.54
2024-07-19	4.33
2024-07-20	5.56
2024-07-21	7.53
2024-07-22	13.15
2024-07-23	5.2
2024-07-24	6.43
2024-07-25	9.19
2024-07-26	5.64
2024-07-27	10.28
2024-07-28	12.78
2024-07-29	2.41
2024-07-30	2.3




Raport wygenerowano: 2024-08-19 16:28

Urządzenie:

Wspólna 3, OSP w Bielawie, Konstancin-Jeziorna

Pyły zawieszone o średnicy mniejszej 2.5 mikrometrów

Data	Wartość
2024-07-01	3.37
2024-07-02	3.11
2024-07-03	1.87
2024-07-04	3.48
2024-07-05	2.14
2024-07-06	1.83
2024-07-07	3.5
2024-07-08	2.42
2024-07-09	3.52
2024-07-10	4.21
2024-07-11	7.92
2024-07-12	5.95
2024-07-13	3.41
2024-07-14	3.62
2024-07-15	4.38
2024-07-16	7.03
2024-07-17	3.78
2024-07-18	1.27
2024-07-19	2.57
2024-07-20	2.96
2024-07-21	4.56
2024-07-22	7.91
2024-07-23	3.17
2024-07-24	4.03
2024-07-25	5.07
2024-07-26	2.77
2024-07-27	6.31
2024-07-28	7.48
2024-07-29	2.07
2024-07-30	1.11




Raport wygenerowano: 2024-08-19 16:28

Urządzenie:

Wspólna 3, OSP w Bielawie, Konstancin-Jeziorna

Pyły zawieszone o średnicy mniejszej niż 10 mikrometrów

Data	Wartość
2024-07-01	6.01
2024-07-02	5.53
2024-07-03	3.32
2024-07-04	6.21
2024-07-05	3.74
2024-07-06	3.27
2024-07-07	6.21
2024-07-08	4.31
2024-07-09	6.18
2024-07-10	7.55
2024-07-11	14.09
2024-07-12	10.55
2024-07-13	6.04
2024-07-14	6.42
2024-07-15	7.81
2024-07-16	12.45
2024-07-17	6.77
2024-07-18	2.28
2024-07-19	4.58
2024-07-20	5.31
2024-07-21	8.09
2024-07-22	14.04
2024-07-23	5.67
2024-07-24	7.18
2024-07-25	9.08
2024-07-26	4.9
2024-07-27	11.14
2024-07-28	13.13
2024-07-29	3.55
2024-07-30	1.99




Raport wygenerowano: 2024-08-19 16:28

Urządzenie:

Partyzantów 20, plac zabaw, Czarnów

Pyły zawieszone o średnicy mniejszej 2.5 mikrometrów

Data	Wartość
2024-07-01	3.45
2024-07-02	2.92
2024-07-03	1.81
2024-07-04	3.05
2024-07-05	1.87
2024-07-06	2.05
2024-07-07	3.23
2024-07-08	2.37
2024-07-09	3.37
2024-07-10	5.67
2024-07-11	11.05
2024-07-12	7.09
2024-07-13	3.96
2024-07-14	2.42
2024-07-15	5
2024-07-16	7.49
2024-07-17	4.62
2024-07-18	1.56
2024-07-19	3.38
2024-07-20	4.25
2024-07-21	6.28
2024-07-22	9.27
2024-07-23	3.6
2024-07-24	3.65
2024-07-25	6.19
2024-07-26	3.9
2024-07-27	6.9
2024-07-28	10.13
2024-07-29	1.1
2024-07-30	1.47




Raport wygenerowano: 2024-08-19 16:29

Urządzenie:

Partyzantów 20, plac zabaw, Czarnów

Pyły zawieszone o średnicy mniejszej niż 10 mikrometrów

Data	Wartość
2024-07-01	6.16
2024-07-02	5.17
2024-07-03	3.2
2024-07-04	5.44
2024-07-05	3.31
2024-07-06	3.66
2024-07-07	5.78
2024-07-08	4.25
2024-07-09	5.97
2024-07-10	10.02
2024-07-11	19.34
2024-07-12	12.66
2024-07-13	7.06
2024-07-14	4.32
2024-07-15	8.85
2024-07-16	13.18
2024-07-17	8.23
2024-07-18	2.77
2024-07-19	5.98
2024-07-20	7.58
2024-07-21	11.08
2024-07-22	16.48
2024-07-23	6.45
2024-07-24	6.44
2024-07-25	10.95
2024-07-26	6.95
2024-07-27	12.32
2024-07-28	17.73
2024-07-29	1.96
2024-07-30	2.62




Raport wygenerowano: 2024-08-19 16:29

Urządzenie:

Prosta 52, OSP Kawęczynek, Kawęczynek

Pyły zawieszone o średnicy mniejszej 2.5 mikrometrów

Data	Wartość
2024-07-01	3.15
2024-07-02	3.67
2024-07-03	2.5
2024-07-04	3.87
2024-07-05	2.51
2024-07-06	2.13
2024-07-07	3.69
2024-07-08	2.73
2024-07-09	3.89
2024-07-10	4.81
2024-07-11	9.17
2024-07-12	6.53
2024-07-13	3.83
2024-07-14	2.9
2024-07-15	4.95
2024-07-16	7.07
2024-07-17	4.55
2024-07-18	1.62
2024-07-19	2.71
2024-07-20	3.4
2024-07-21	4.56
2024-07-22	7.78
2024-07-23	3.18
2024-07-24	4.18
2024-07-25	5.48
2024-07-26	3.11
2024-07-27	6.3
2024-07-28	7.87
2024-07-29	1.36
2024-07-30	1.28




Raport wygenerowano: 2024-08-19 16:29

Urządzenie:

Prosta 52, OSP Kawęczynek, Kawęczynek

Pyły zawieszane o średnicy mniejszej niż 10 mikrometrów

Data	Wartość
2024-07-01	5.54
2024-07-02	6.52
2024-07-03	4.44
2024-07-04	6.93
2024-07-05	4.52
2024-07-06	3.8
2024-07-07	6.48
2024-07-08	4.86
2024-07-09	6.84
2024-07-10	8.5
2024-07-11	16.23
2024-07-12	11.46
2024-07-13	6.77
2024-07-14	5.19
2024-07-15	8.78
2024-07-16	12.62
2024-07-17	8.21
2024-07-18	2.89
2024-07-19	4.78
2024-07-20	6.07
2024-07-21	8.16
2024-07-22	13.76
2024-07-23	5.76
2024-07-24	7.4
2024-07-25	9.6
2024-07-26	5.51
2024-07-27	11.07
2024-07-28	13.87
2024-07-29	2.34
2024-07-30	2.31




Raport wygenerowano: 2024-08-19 16:29

Urządzenie:

Wilanowska 218, Szkoła Podstawowa nr 4, Słomczyn

Pyły zawieszane o średnicy mniejszej 2.5 mikrometrów

Data	Wartość
2024-07-01	3.2
2024-07-02	3.67
2024-07-03	2.29
2024-07-04	3.74
2024-07-05	2.8
2024-07-06	1.74
2024-07-07	3.39
2024-07-08	2.79
2024-07-09	3.34
2024-07-10	4.71
2024-07-11	8.65
2024-07-12	5.9
2024-07-13	3.79
2024-07-14	2.45
2024-07-15	4.5
2024-07-16	6.6
2024-07-17	4.17
2024-07-18	1.3
2024-07-19	2.33
2024-07-20	2.75
2024-07-21	3.79
2024-07-22	6.93
2024-07-23	2.47
2024-07-24	3.44
2024-07-25	5.5
2024-07-26	2.97
2024-07-27	6.03
2024-07-28	7.57
2024-07-29	1.14
2024-07-30	0.96




Raport wygenerowano: 2024-08-19 16:29

Urządzenie:

Wilanowska 218, Szkoła Podstawowa nr 4, Słomczyn

Pyły zawieszone o średnicy mniejszej niż 10 mikrometrów

Data	Wartość
2024-07-01	5.75
2024-07-02	6.53
2024-07-03	4.09
2024-07-04	6.67
2024-07-05	4.94
2024-07-06	3.13
2024-07-07	6.1
2024-07-08	4.97
2024-07-09	5.96
2024-07-10	8.32
2024-07-11	15.3
2024-07-12	10.38
2024-07-13	6.82
2024-07-14	4.38
2024-07-15	7.98
2024-07-16	11.69
2024-07-17	7.47
2024-07-18	2.33
2024-07-19	4.1
2024-07-20	4.97
2024-07-21	6.79
2024-07-22	12.37
2024-07-23	4.38
2024-07-24	6.16
2024-07-25	9.74
2024-07-26	5.36
2024-07-27	10.6
2024-07-28	13.4
2024-07-29	2.04
2024-07-30	1.72




Raport wygenerowano: 2024-08-19 16:29

Urządzenie:

Cieciszew 67a, dom ludowy, Cieciszew

Pyły zawieszone o średnicy mniejszej 2.5 mikrometrów

Data	Wartość
2024-07-01	4.7
2024-07-02	5.08
2024-07-03	3.88
2024-07-04	5.5
2024-07-05	3.38
2024-07-06	3.37
2024-07-07	5.43
2024-07-08	3.97
2024-07-09	5.94
2024-07-10	6.33
2024-07-11	12.01
2024-07-12	8.16
2024-07-13	4.96
2024-07-14	3.88
2024-07-15	7.02
2024-07-16	9.09
2024-07-17	6.72
2024-07-18	2.56
2024-07-19	5.01
2024-07-20	4.76
2024-07-21	6.49
2024-07-22	10.6
2024-07-23	4.02
2024-07-24	5.41
2024-07-25	7.66
2024-07-26	4.68
2024-07-27	8.46
2024-07-28	10.44
2024-07-29	1.43
2024-07-30	1.9




Raport wygenerowano: 2024-08-19 16:29

Urządzenie:

Cieciszew 67a, dom ludowy, Cieciszew

Pyły zawieszone o średnicy mniejszej niż 10 mikrometrów

Data	Wartość
2024-07-01	8.32
2024-07-02	9
2024-07-03	6.88
2024-07-04	9.77
2024-07-05	6.05
2024-07-06	6.01
2024-07-07	9.6
2024-07-08	7.04
2024-07-09	10.51
2024-07-10	11.3
2024-07-11	21.04
2024-07-12	14.49
2024-07-13	8.88
2024-07-14	6.88
2024-07-15	12.49
2024-07-16	15.93
2024-07-17	11.79
2024-07-18	4.59
2024-07-19	8.9
2024-07-20	8.52
2024-07-21	11.6
2024-07-22	18.59
2024-07-23	7.16
2024-07-24	9.67
2024-07-25	13.67
2024-07-26	8.26
2024-07-27	14.99
2024-07-28	18.24
2024-07-29	2.58
2024-07-30	3.41




Raport wygenerowano: 2024-08-19 16:29

Urządzenie:

Obory 22, Przedszkole nr 3 „Kolorowe Kredki”, Obory

Pyły zawieszone o średnicy mniejszej 2.5 mikrometrów

Data	Wartość
2024-07-01	4.23
2024-07-02	5.3
2024-07-03	3.18
2024-07-04	4.8
2024-07-05	3.91
2024-07-06	2.93
2024-07-07	4.53
2024-07-08	3.39
2024-07-09	4.11
2024-07-10	5.53
2024-07-11	10.35
2024-07-12	7.27
2024-07-13	4.65
2024-07-14	3.54
2024-07-15	6.3
2024-07-16	7.76
2024-07-17	5.51
2024-07-18	2.84
2024-07-19	4.32
2024-07-20	4.7
2024-07-21	6.17
2024-07-22	9.15
2024-07-23	4.34
2024-07-24	5.41
2024-07-25	6.22
2024-07-26	4.27
2024-07-27	7.81
2024-07-28	9.11
2024-07-29	2.47
2024-07-30	2.97




Raport wygenerowano: 2024-08-19 16:30

Urządzenie:

Obory 22, Przedszkole nr 3 „Kolorowe Kredki”, Obory

Pyły zawieszane o średnicy mniejszej niż 10 mikrometrów

Data	Wartość
2024-07-01	7.52
2024-07-02	9.38
2024-07-03	5.64
2024-07-04	8.5
2024-07-05	6.8
2024-07-06	5.23
2024-07-07	8.02
2024-07-08	5.91
2024-07-09	7.33
2024-07-10	9.72
2024-07-11	18.07
2024-07-12	12.7
2024-07-13	8.12
2024-07-14	6.26
2024-07-15	11.19
2024-07-16	13.91
2024-07-17	9.76
2024-07-18	5.06
2024-07-19	7.52
2024-07-20	8.31
2024-07-21	10.87
2024-07-22	15.96
2024-07-23	7.65
2024-07-24	9.49
2024-07-25	11.07
2024-07-26	7.54
2024-07-27	13.68
2024-07-28	15.94
2024-07-29	4.29
2024-07-30	5.19




Raport wygenerowano: 2024-08-19 16:30

Urządzenie:

Opacz 9, Szkoła Podstawowa nr 6, Opacz

Pyły zawieszone o średnicy mniejszej 2.5 mikrometrów

Data	Wartość
2024-07-01	3.83
2024-07-02	3.93
2024-07-03	2.44
2024-07-04	3.99
2024-07-05	2.68
2024-07-06	2.12
2024-07-07	3.73
2024-07-08	3.41
2024-07-09	3.73
2024-07-10	5.43
2024-07-11	9.79
2024-07-12	7.16
2024-07-13	3.97
2024-07-14	3.22
2024-07-15	5.23
2024-07-16	7.56
2024-07-17	4.84
2024-07-18	1.95
2024-07-19	2.88
2024-07-20	3.65
2024-07-21	4.94
2024-07-22	8.34
2024-07-23	3.61
2024-07-24	4.71
2024-07-25	6.16
2024-07-26	3.32
2024-07-27	7.64
2024-07-28	9.03
2024-07-29	1.25
2024-07-30	1.45




Raport wygenerowano: 2024-08-19 16:30

Urządzenie:

Opacz 9, Szkoła Podstawowa nr 6, Opacz

Pyły zawieszone o średnicy mniejszej niż 10 mikrometrów

Data	Wartość
2024-07-01	6.84
2024-07-02	6.99
2024-07-03	4.37
2024-07-04	7.15
2024-07-05	4.79
2024-07-06	3.8
2024-07-07	6.52
2024-07-08	5.97
2024-07-09	6.61
2024-07-10	9.65
2024-07-11	17.27
2024-07-12	12.61
2024-07-13	7.09
2024-07-14	5.76
2024-07-15	9.32
2024-07-16	13.3
2024-07-17	8.55
2024-07-18	3.51
2024-07-19	5.07
2024-07-20	6.5
2024-07-21	8.8
2024-07-22	14.8
2024-07-23	6.42
2024-07-24	8.49
2024-07-25	10.94
2024-07-26	5.94
2024-07-27	13.61
2024-07-28	15.76
2024-07-29	2.22
2024-07-30	2.62




Raport wygenerowano: 2024-08-19 16:30

Urządzenie:

Kępa Okrzewska 27, budynek nowego domu ludowego, Kępa Okrzewska

Pyły zawieszone o średnicy mniejszej 2.5 mikrometrów

Data	Wartość
2024-07-01	4.87
2024-07-02	4.98
2024-07-03	3.83
2024-07-04	5.54
2024-07-05	3.63
2024-07-06	3.12
2024-07-07	4.84
2024-07-08	3.48
2024-07-09	5.23
2024-07-10	6.47
2024-07-11	12.22
2024-07-12	8.87
2024-07-13	5.24
2024-07-14	3.63
2024-07-15	7.34
2024-07-16	9.69
2024-07-17	6.75
2024-07-18	2.39
2024-07-19	3.27
2024-07-20	4.92
2024-07-21	6.28
2024-07-22	10.3
2024-07-23	4.57
2024-07-24	5.49
2024-07-25	6.94
2024-07-26	4.14
2024-07-27	8.65
2024-07-28	11.64
2024-07-29	1.69
2024-07-30	1.91




Raport wygenerowano: 2024-08-19 16:30

Urządzenie:

Kępa Okrzewska 27, budynek nowego domu ludowego, Kępa Okrzewska

Pyły zawieszane o średnicy mniejszej niż 10 mikrometrów

Data	Wartość
2024-07-01	8.63
2024-07-02	8.82
2024-07-03	6.77
2024-07-04	9.85
2024-07-05	6.43
2024-07-06	5.59
2024-07-07	8.63
2024-07-08	6.21
2024-07-09	9.23
2024-07-10	11.49
2024-07-11	21.66
2024-07-12	15.7
2024-07-13	9.24
2024-07-14	6.45
2024-07-15	12.89
2024-07-16	16.89
2024-07-17	11.99
2024-07-18	4.29
2024-07-19	5.81
2024-07-20	8.7
2024-07-21	11.06
2024-07-22	18.04
2024-07-23	8.1
2024-07-24	9.75
2024-07-25	12.26
2024-07-26	7.35
2024-07-27	15.25
2024-07-28	20.2
2024-07-29	3
2024-07-30	3.39



Raport wygenerowano: 2024-08-19 16:30